TAKE ONE. FREE TO ALL.

FARMERS, PLANTERS & MECHANICS' ALMANAC

FOR

1880.

PUBLISHED BY
THE DR. HARTER MEDICINE C
PRACTICAL AND ANALYTICAL CHEMISTS,
No. 213 N. Main Street, St. Louis, Mo., U. S. A.

DR. HARTER'S FEVER AND AGUE SPECIFIC.

(BOTH IN FLUID AND PILL FORM.)

THIS is an infallible remedy for the permanent cure of all kinds of *Ague, Chills and Fever, Intermittent, Remittent Bilious, Winter, Continued, Congested, Breakbone, Yellow and Lung Fevers.*

We warrant this SPECIFIC to be *safe, speedy* and *permanent* in neutralizing the Malaria in the system which produces the above diseases. The cure is thorough and lasting. Its peculiar and happy combination is wonderfully adapted to such diseases as enumerated above. If taken immediately after the fever leaves, there will be no return of the Chills. It makes no difference of how long standing, this SPECIFIC will thoroughly and promptly cure the most stubborn case of Chills and Fever.

The knowledge of the many thousand cases [illegible] cured by this infallible remedy, [illegible] warranting the "SPECIFIC" to [illegible]. For years we have been in- [illegible] agents to guarantee a "CURE IN [illegible] and in the instance of failure, re- [illegible]. To hear of a failure, is a RARE [illegible] this is wonderful, when we take [illegible] n the many thousand bottles [illegible] nthly. We still instruct our [illegible] the SPECIFIC, when taken in connection with DR. HARTER'S LIVER PILLS. The patient in this case runs no risk, NO CURE NO PAY.

In most of cases it will be found beneficial to prepare the system for the FEVER AND AGUE SPECIFIC by DR. HARTER'S LIVER PILLS. They will act on the Liver, Stomach and Bowels, starting the Bile and the Secretions, cleanse the system, and purify the Blood. They are superior to all other purging medicines now in the market. See directions for LIVER PILLS.

We challenge the world to produce its equal. We are receiving by every mail unsolicited testimony of persons who have been cured by this peerless medicine, "after everything else had failed." We can produce more evidence of the wonderful success and superiority of DR. HARTER'S FEVER AND AGUE SPECIFIC than can be shown for any other Ague Medicine in existence. In making SAFE, CERTAIN AND PERMANENT CURES of all kinds of Agues, Intermittent Fevers and Periodic diseases, it has *no equal* in the world. This is a bold assertion, but with the unimpeachable testimony which we have in our possession, we are prepared to substantiate all we have claimed.

ST. LOUIS, Jan. 8, 1879.—*Dr. Harter. Dear Sir:* I feel it incumbent upon me to gratefully acknowledge my great obligation to you, as your FEVER AND AGUE SPECIFIC has thoroughly demonstrated its priceless value. My daughter, eight years old, had been suffering for five months with this baneful disease. My family physician, during this time, prescribed for her various medicines, but all with no effect. He finally gave up her case, stating that it was incurable. I bethought myself of your magical Ague Remedy, and on the return of the malady administered to her the SPECIFIC, according to your directions. The effect was indeed wonderful, as a few doses checked her fever entirely, where formerly it took two to three days for the physician to get it under control. She is now hale and hearty; and three weeks having elapsed since any return of the disease, I feel impelled to thank you most cordially. D. LEUBRIE.

ALMANAC FOR THE YEAR 1880.

Being a Bissextile, or Leap Year of 366 Days.

MOON'S CHANGES.

New Moon. Full Moon. First Quarter. Last Quarter.

The Twelve Constellations in the Zodiac.

Aries, the Ram.
Taurus, the Bull.
Gemini, the Twins.
Cancer, the Crab.
Leo, the Lion.
Virgo, the Virgin.
Libra, the Balance.
Scorpio, the Scorpion
Sagittarius, the Bowman.
Capricornus, Goat.
Aquarius, the Waterman.
Pisces, the Fishes.

Planets and Aspects.

♄ Saturn.
♃ Jupiter.
♂ Mars.
☉ Sun.
♀ Venus.
☿ Mercury.
⊕ Earth.
☾ Moon.
♅ Herschel.
☌ Conjunction, or Planets in the same longitude.
□ Quartile, when they are 90 degrees distant.
△ Trine, when they are 120 degrees distant.
☍ Opposition, when 180 degrees distant.
☊ Ascending Node.
☋ Descending Node.

Chronological Cycles.

Dominical Letters	D C	Solar Cycle	13
Golden Number	19	Roman Indiction	8
Epact	18	Julian Period	6593

The year 5641 of the Jewish Era commences on September 6, 1880.

The year 1298 of the Mohamedan Era commences on December 4, 1880.

The Four Seasons. (St. Louis time.)

	d.	h.	m.
Vernal Equinox, sun enters ♈ March	19	11	7 p.m.
Summer Solstice, sun enters ♋ June	20	7	7 p.m.
Autumnal Equinox, sun enters ♎ Sept.	22	10	7 a.m.
Winter Solstice, sun enters ♑ December	21	4	7 a.m.

Ember Days.

February 18, 20 21. May 19, 21, 22.
September 15, 17, 18. December, 15, 17, 18.

Morning and Evening Stars.

MERCURY will be evening star about March 10, July 5, and Nov. 3; and morning star about April 26, August 21, and December 13.

VENUS will be morning star till July 13, and evening star the rest of the year.

JUPITER will be evening star till March 15; then morning star till October 7; and evening star again the rest of the year.

Movable Festivals.

Septuagesima Sunday, January 25.	Easter Sunday, March 28.
Quinqagesima Sund., February 8.	Low Sunday, April 4.
Shrove Tuesday, Feb. 10.	Rogation Sunday, May 2.
Ash Wednesday, Feb. 11.	Ascension Day, May 6.
First Sund in Lent, Feb. 15.	Whit Sunday, May 16.
Palm Sunday, March 21.	Trinity Sunday, May 23.
Good Friday, March 26.	Corpus Christi, May 27.
	1st Sund. in Advent, Nov. 28
	Sundays after Trinity, 26.

Eclipses for the Year 1880.

In the year 1880 there will be six Eclipses—four of the sun and two of the moon.

I. A Total Eclipse of the sun, January 11. Invisible east of a line drawn through St. Joseph, Mo. and Baton Rouge, La. Visible to the western quarter of North America, and to the Pacific Ocean, being central and total along a line distant twenty miles south of and parallel to a line drawn through Monterey, Cal., Mariposa and Salt Lake City. Elsewhere it will be partial. The eclipse will begin as follows:

Denver, Colorado	4h.	1m. p.m.
Santa Fe, New Mexico	4h.	1m. p.m.
Salt Lake City, Utah	3h.	24m. p.m.

the sun setting more or less eclipsed.

II A Total Eclipse of the moon, June 22. Invisible. Visible to Asia, Australia, Pacific Ocean and western edge of North America.

III. An Annular Eclipse of the sun, July 7, Invis-

ible. Visible to the southern half of South America, to Cape of Good Hope and to South Atlantic Ocean.

IV. An unimportant Partial Eclipse of the sun, December I. Visible to Southern Ocean.

V. A Total Eclipse of the moon, December 16. Visible more or less to the world generally, except to South America, the West India Islands and eastern portion of North America. To the eastern seaboard it will be wholly invisible. To the adjoining region, as far west as the Mississippi River, the moon will set in the morning tinged with the advancing penumbral shade. To the region still further west, the moon will set more or less in shadow. Magnitude of Eclipse, 1.388 (moon's diameter 1).

VI. A Partial Eclipse of the sun, December 31. Visible to eastern portion of North America, as far west as Illinois and Mississippi, to Europe, and to North Atlantic Ocean. To all places in the United States, where visible, the sun will rise partly eclipsed, the Eclipse ending in the morning at the times given as follows:

Portland, Me.	9h 17m	a.m.
Boston, Mass.	9h 9m	"
New York, N. Y.	8h 50m	"
Columbus, Ohio	7h 59m	"
Philadelphia, Pa	8h 41m	"
Washington, D. C.	8h 29m	"
Charleston, S. C.	7h 58m	"

An Occultation of Mars will occur March 17. Visible to the eastern portion of North America, happening shortly after sunset, and lasting generally about an hour and a quarter.

Jewish Calendar.

5640.

January.—14, Rosh Hodesh Shebat; 28, Rosh Shannah Leaylanot

February.—12, 13, Rosh Hodesh Adar; 25, Fast of Esther; 26, 27, Purim.

March.—13, Rosh Hodesh Nissan; 27, 28, Pesah, two first days.

April.—2, 3, Pesah, two last days; 11, 12, Rosh Hodesh Iyar; 25, Pesah Shene; 29, Lag Laomer

May.—11, Rosh Hodesh Sivan; 16, 17, Shebuot.

June.—9, 10, Rosh Hodesh Tamoo ; 27, Fast of Tamooz.

July.—9, Rosh Hodesh Ab; 18, Tishabeab; 23, Tubeab.

August.—7, 8, Rosh Hodesh Elool.

5641.

September.—6, 7. Tishree Rosh Hashanah; 8, Fast of Guedalyah; 15, Kipoor; 20, 21, Sucot, two first days; 26, Hoshaanah-Rabah: 27, Sheminee Aseret; 28, Simhat Torah.

October.—5, 6, Rosh Hodesh Heshvan

November.—4, Rosh Hodesh Kislev; 28, Hanucah first day.

December.—3, Rosh Hodesh Tebet; 5, Barech Alenu; 12, Fast of Tebet.

Strictly Pure Medicines only being used in the manufacture of these wonderful Remedies, being purchased from first hands, and in original packages, is one of the secrets of these Medicines being always so uniform, and ever to be relied upon. *Expectations are never disappointed*, and the most sanguine hopes are realized. When we read the testimonials of the multitude, and *hear of the remarkable cures* these medicines have effected, we feel amply repaid for all our efforts in maintaining the reputation that these justly celebrated medicines have achieved. *Extending over a period of thirty years*, their reputation has been growing brighter and brighter each year, till they have reached the *highest pinnacle of fame.* They have become a household word, and their name and achievements have endeared them to all its members.

Mr. S. J. Treece, of *Plainfield, Ill.*, writes Jan. 31st, 1878: "I have given your Medicines a fair trial, and I must say that they have exceeded my most sanguine expectations. I am satisfied that they are just what you say they are. I recommend them with full confidence to my customers. I have never heard of a single failure of the Ague Specific."

Habitual Costiveness gives the skin a dull and unclean appearance, to which a single dose or two of Dr. Harter's Liver Pills often restores clearness. Costiveness often affects the mind as well as body, and frequently produces headache; yet, though its depressing influence may not be realized, the buoyancy felt on its removal by the pills is unmistakable.

"After all of the Doctors had failed."

Butler, Ark., March 25, 1878.—*Dr. Harter:* Dear Sir. Dr. Harter's Fever and Ague Specific has cured one case of chronic third-day Chills after eleven doctors had failed to benefit him. Mr. Campbell came here from the bottoms with third-day Ague, of about two years' standing. He said that he employed eleven different doctors, and paid out about three hundred dollars to no purpose. I sold him one bottle of the Ague Specific, Iron Tonic, and a box of Liver Pills, which have entirely cured him.

John T. Cook.

Mr. T. C. Bailey, of *Poulsville, Ind.*, writes June 15th, 1877: "I am selling half a dozen different kinds of Ague preparations, but sell more of Dr. Harter's Fever and Ague Specific than all of the rest. One box of the Ague Specific Pills cured Mr. O. B. Thombury of Ague after the doctors had failed to benefit him."

Dr. Harter's Ague Specific makes Permanent Cures.

1st Month—JANUARY—1880.

Moon's Phases.	*Macon, Ga.* d	h	m		*St. Louis.* d	h	m	
Last Quarter	5	1	15	a.m.	5	0	48	a.m.
New Moon..	11	5	6	p.m.	11	4	39	p.m.
First Quarter	19	1	6	a.m.	19	0	39	a.m.
Full Moon...	27	4	38	a.m.	27	4	11	a.m.

Conjectures of the Weather.--1, 2, cold; 3 to 6 moderate; 7 to 10, thawing; 11 to 15, moderate; 15, 16, warmer, 17 to 20, cold and high winds; 21, 22, moderate; 23 to 25 cold; 26, 27, warmer with snow or rain; 28 to 31, fair.

M. D.	W. D.	South. h. m.	Moon Constel c. d.	N.C., S.C., Tenn., Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.				Moon R. & S. h. m.		**JANUARY, 1880.** Aspects of Planets and other matters.	Sun slow	Ohio, Ind., Ills., Mo., Iowa, Neb., *Kansas, Ky. Sun rises and sets.			Moon R. & S. h. m.	
1	T	2	52	♏ 27	7	3	5	5	9	5	Algenib s. 5.23 a.	4	7	23	4	45	9	0
2	F	3	37	♐ 10	7	3	5	6	10	6	♂ ♅ ☾	4	7	23	4	46	10	5
3	S	4	22	♐ 23	7	3	5	6	11	8	♀ rises 3.50 m.	5	7	23	4	47	11	13
1.)	2d Sunday after Christmas.										Day's length, 10h. 4 m.						Day's length, 9h. 24 m.	
4	S	5	8	♑ 7	7	3	5	7	morn		5th. ♀ gr. Hel. Lat. n.	5	7	23	4	47	morn	
5	M	5	56	♑ 21	7	3	5	8	0	12	Polaris s. 6.15 a.	6	7	23	4	48	0	21
6	T	6	48	♒ 5	7	4	5	9	1	17	Pollux s. 0.37 m.	6	7	23	4	49	1	31
7	W	7	44	♒ 19	7	4	5	10	2	25	♄ sets 2.43 m.	6	7	23	4	50	2	45
8	T	8	44	♓ 4	7	4	5	10	3	36	♂ ♀ ☾	7	7	23	4	51	3	59
9	F	9	48	♓ 19	7	4	5	11	4	45	☾ in perigee ♋	7	7	22	4	52	5	9
10	S	10	52	♈ 3	7	4	5	12	5	50	♂ ☿ ☾	8	7	22	4	53	6	14
2.)	1st Sunday after Epiphany.										Day's length, 10h. 9 m.						Day's length, 9h. 32m.	
11	S	11	54	♈ 18	7	4	5	13	sets		11th. Acher. s. 6.10 a. ♌	8	7	22	4	54	sets	
12	M	ev.	52	♉ 2	7	3	5	14	6	19	☿ in ♉	9	7	22	4	55	6	5
13	T	1	46	♉ 17	7	3	5	15	7	27	♃ sets 8.56 a.	9	7	21	4	56	7	18
14	W	2	35	♊ 1	7	3	5	16	8	32	Anetis sets 6.25 a.	9	7	21	4	57	8	28
15	T	3	21	♊ 14	7	3	5	16	9	33	♂ ♃ ☾	10	7	20	4	58	9	34
16	F	4	5	♊ 27	7	3	5	17	10	33	Aldebaran s. 8.46 a.	10	7	20	4	59	10	38
17	S	4	49	♋ 10	7	3	5	18	11	30	♂ ♄ ☾	10	7	20	5	0	11	40
3.)	2d Sunday after Epiphany.										Day's length, 10h. 17m						Day's length, 9h. 42m.	
18	S	5	32	♋ 22	7	2	5	19	morn		19th. ♄ sets 10.55 a.	11	7	19	5	1	morn	
19	M	6	17	♌ 4	7	2	5	20	0	26	Nep. stationary.	11	7	19	5	3	0	40
20	T	7	3	♌ 16	7	2	5	21	1	22	♂ Nep. ☾. ♂ ♄ ☾	11	7	18	5	4	1	41
21	W	7	51	♌ 28	7	1	5	22	2	19	☾ in apogee.	12	7	18	5	5	2	41
22	T	8	41	♍ 9	7	1	5	23	3	14	☿ in aphelion.	12	7	17	5	6	3	38
23	F	9	31	♍ 21	7	1	5	24	4	7	Capella s. 8.57 a. ♋	12	7	16	5	7	4	31
24	S	10	22	♎ 3	7	0	5	25	4	56	♅ rises 7.57 a.	12	7	16	5	9	5	21
4.)	Septuagesima Sunday.										Day's length, 10h. 26 m.						Day's length, 9 h. 55m.	
25	S	11	42	♎ 16	7	0	5	26	5	42	Rigel s. 8.50 a. ♍	13	7	15	5	10	6	4
26	M	morn		♎ 28	6	59	5	27	6	22	Canopus s. 9.58 a.	13	7	14	5	11	6	41
27	T	0	1	♏ 11	6	59	5	28	rises		27th. Sirius s. 10.13 a.	13	7	13	5	12	rises	
28	W	0	48	♏ 24	6	58	5	29	6	57	Nep. sets 0.41 m.	13	7	12	5	13	6	51
29	T	1	35	♐ 7	6	58	5	30	8	0	□ Nep. ☉. ♂ ♅ ☾	13	7	12	5	15	7	58
30	F	2	20	♐ 20	6	57	5	31	9	2	Castor sets 18.48 a.	14	7	11	5	16	9	5
31	S	3	7	♑ 4	6	56	5	32	10	5	Procyon sets 10.50 a.	14	7	10	5	17	10	13

Dr. Harter's Iron Tonic Cures Dyspepsia.

DR. HARTER'S

IRON TONIC

IS the best combination of medicines ever made for a Tonic. It is made from *Refined Iron*, the *Phosphates*, *Calisaya Bark*, *Vegetable Aromatics*, etc. It is so combined that it is perfectly devoid of any inky taste, so peculiar to *Iron Remedies*. It is sanctioned by popular opinion and high authority of the most distinguished of the Medical Faculty; and for its efficacy and safety deserves the name of being, in truth, a FAMILY MEDICINE. Those who may have occasion to use it will find it to be a remedy of extreme value. The utmost reliance can be placed upon it, both as to its innocent nature and its highly curative properties.

DR. HARTER'S IRON TONIC PURIFIES, ENRICHES, GIVES COLOR AND TONE TO THE BLOOD; it increases the quantity as well as the quality, GIVING VIGOR, VITALITY, ENERGY, POWER, AND LIFE ITSELF. The TONIC is a mild stimulant to the Brain and Nervous System, with especial action on the Kidneys, Bladder and Organs of Generation, both in the male and female. It acts on the Stomach and Liver, increasing the appetite, assisting digestion, building up the weak, frail, and broken-down system.

DR. HARTER'S "IRON TONIC" is peculiarly adapted to persons who have been overworked by mental application, or prostrated by disquietude and care, or persons who, from some constant source of bodily suffering, have a thousand anomalous symptoms, dependent on an imperfectly generated and distributed nerve-power, such as *Wakefulness*, *Trembling*, *Spasmodic Movements*, *Palpitation*, *Cramps*, *Epilepsy*, *St. Vitus' Dance*, *Twitching of the Muscles* of the various parts of the body, and all paralyzed or palsied conditions of the system.

TROY, O., Jan. 2, 1878.

THE DR. HARTER MEDICINE CO.:

Gentlemen—Some three months ago, I began the use of DR. HARTER'S IRON TONIC upon the advice of many friends, who knew its virtues. I was suffering from general debility to such an extent, that my labor was exceedingly burdensome to me. A vacation of a month did not give me much relief, but on the contrary, was followed by increased prostration and sinking chills. At this time I began the use of your IRON TONIC, from which I realized almost immediate and wonderful results. The old energy returned and I found that my natural force was not permanently abated. I have used three bottles of the TONIC. Since using it I have done twice the labor that I ever did in the same time during my illness, and with double the ease. With the tranquil nerve and vigor of body, has come also a clearness of thought never before enjoyed. If the TONIC has not done the work, I know not what. I give it the credit.

Most gratefully yours,
J. P. WATSON,
Pastor Christian Church, Troy, O.

DR. HARTER'S IRON TONIC is especially adapted to female diseases, such as *Weakness from Nursing, or any other cause; Painful, Irregular, or Deranged Monthly Periods; Falling of the Womb, Nausea in Pregnancy, Sterility, Change of Life; Pain in the Head, Back or Side; Kidneys, Bladder; Chlorosis*, or that pale languid, restless condition of young girls, with an unnatural and perverted appetite; *Palpitation of the Heart, &c.*

● 2d Month—FEBRUARY.

Moon's Phases.	*Macon, Ga.* d	h	m		*St. Louis.* d	h	m	
Last Quarter	3	10	5	p.m.	3	9	38	p.m,
New Moon..	10	5	43	p.m.	10	5	16	p.m.
First Quarter	17	10	11	a.m.	17	9	44	a.m.
Full Moon..	25	7	48	a.m.	25	7	21	a.m.

Conjectures of the Weather.—1 to 6 clear with frosty nights; 7 to 10, partly cloudy; 11 to 15, snow or rain; 16 to 20, mild and fair; 20 to 23, high winds and clouds; 24 to 26, fair and mild; 27 to 29, variable.

FEBRUARY, 1880.

D. M.	D. W.	Moon South h. m.	Moon Constel c. d.	N. C., S. C., Tenn. Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m	Aspects of Planets and other matters.	Sun slow	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m.
5.)	Sexagesima Sunday.						Day's length, 10h 37m			Day's length, 10h. 9m.	
1	♑	3 54	♐ 17	6 56	5 33	11 10	Aldebaran s. 7.43 a	14	7 9	5 18	11 23
2	M	4 44	♐ 1	6 55	5 34	morn	3d. Pollux 10.47 a.	14	7 8	5 19	morn
3	T	5 38	♐ 15	6 54	5 34	0 17	♀ rises 4.39 m.	14	7 7	5 21	0 37
4	W	6 35	♐ 29	6 54	5 35	1 25	Capella s. 8.10 a.	14	7 6	5 22	1 47
5	T	7 35	♑ 14	6 53	5 36	2 32	Rigel s. 9.7 a. ♋	14	7 5	5 23	2 57
6	F	8 37	♑ 28	6 52	5 37	3 36	☾ in perigee.	14	7 4	5 24	4 0
7	S	9 38	♒ 12	6 51	5 38	4 33	♂ ♀ ☾ ♌	14	7 3	5 25	4 56
6.)	Quinquagesima—Shrove Sunday.						Day's length, 10h. 49m.			Day's length, 10h. 25m.	
8	♑	10 37	♒ 27	6 50	5 39	5 22	♄ sets 1.34 m	14	7 2	5 27	5 42
9	M	11 32	♓ 11	6 50	5 40	6 5	Canopus s. 9.3 a.	14	7 1	5 28	6 21
10	Tev.	23	♓ 25	6 49	5 41	sets	10th. ♂ ☿ ☾	14	7 0	5 29	sets
11	W	1 11	♈ 8	6 48	5 42	7 14	☿ gr. Hel Lat. s.	14	6 59	5 30	7 13
12	T	1 56	♈ 22	6 47	5 43	8 15	♂ ♃ ☾	14	6 57	5 31	8 18
13	F	2 41	♉ 5	6 46	5 44	9 15	Sirius s. 9.6 a.	14	6 56	5 33	9 22
14	S	3 25	♉ 17	6 45	5 44	10 14	♂ ♄ ☾. ♂ ☿ ☉ sup.	14	6 54	5 34	10 26
7.)	1st Sunday in Lent.						Day's length, 11h. 1m			Day's length, 10h. 42m.	
15	♑	4 10	♉ 0	6 44	5 45	11 11	♃ sets 7.22 a.	14	6 53	5 35	11 27
16	M	4 56	♉ 12	6 43	5 46	morn	♂ Nep. ☾	14	6 52	5 36	morn
17	T	5 44	♉ 24	6 42	5 47	0 8	17th. ♂ ♄ ☾	14	6 51	5 37	0 28
18	W	6 33	♊ 5	6 41	5 48	1 4	☾ in apogee.	14	6 49	5 39	1 27
19	T	7 23	♊ 17	6 40	5 49	1 58	Castor s. 9.29 a. ♋	14	6 48	5 40	2 22
20	F	8 13	♊ 29	6 39	5 50	2 48	Saturn sets 8.58 a.	14	6 47	5 41	3 12
21	S	9 3	♋ 11	6 38	5 50	3 35	Procyon s.9.27 a. ♌	14	6 46	5 42	3 58
8.)	2d Sunday in Lent.						Day's length, 11h. 14m			Day's length, 10h. 59m.	
22	♑	9 53	♋ 23	6 37	5 51	4 18	♅ rises 5.57 a.	14	6 44	5 43	4 38
23	M	10 41	♋ 6	6 36	5 52	4 56	□ ♄ ☉	14	6 43	5 45	5 13
24	T	11 28	♋ 19	6 35	5 53	5 32	Pollux s. 9.21 a.	13	6 41	5 46	5 44
25	W	morn	♌ 2	6 34	5 54	rises	25th. ♂ ♅ ☉. ♂ ♅ ☾	13	6 40	5 47	rises
26	T	0 15	♌ 15	6 32	5 55	6 51	Regulus s. 11.36 a.	13	6 38	5 48	6 52
27	F	1 2	♌ 29	6 31	5 55	7 55	Nep. sets 10.41 a.	13	6 37	5 49	8 1
28	S	1 50	♍ 13	6 30	5 56	9 2	♂ ☿ ♄	13	6 35	5 51	9 12
9.)	3d Sunday in Lent.						Day's length, 11h. 28 m.			Day's length, 11h. 18 m.	
29	♑	2 41	♍ 27	6 29	5 57	10 9	♀ in ♌	13	6 34	5 52	10 25

INTERMITTENT AND PERIODIC DISEASES.

FEVER AND AGUE, CHILLS AND FEVER, INTERMITTENT FEVER, NEURALGIA, SUN PAIN AND HEMICRANIA, MALARIAL AND MIASMATIC FEVERS, MARSH AND SWAMP FEVERS, CONGESTIVE FEVERS, DUMB AND MASKED AGUES, THIRD-DAY AGUE AND SINKING CHILLS, all have a common origin, and belong to the same class of diseases, with similar symptoms, passing through simliar stages, and requiring nearly the same *Treatment and Medicines.*

These diseases generally pass through three changes, called the *Hot*, *Cold* and *Sweating Stages*, followed by an intermission of one, two or three days.

COLD STAGE.—As the Cold Stage comes on, the patient feels tired, sore and uneasy, with *pain* and *aching* in the *Head, Back, and Limbs; Hands, Feet*, and *Nose cold, Nails blue*, with *Goose-flesh Skin, Yawning, Stretching, Shivering and Shaking* which continues from a few minutes to two or three hours.

HOT STAGE.—The Hot Stage begins with *Flashes* of *Heat* and *Cold*. As the Fever increases the skin becomes *Hot* and *Dry*, the *Temples throb*, and the *Head aches*, the *Face is flushed*, the *Tongue coated*, great *Thirst*, and *Sick at the Stomach*. Children sometimes have *Spasms*. The Fever continues from two to fifteen hours.

SWEATING STAGE.—As soon as the *Sweat* appears on the *Face* and *Breast*, the Fever begins to subside, the disagreeable feeling and symptoms abate, and the patient feels quite well till the next attack, which will be in one, two or three days, and at about the same hour of the last chill.

As these diseases have a tendency to return at a certain hour or period of the day, they are called *Periodic* or *Intermittent Diseases*. It is a very singular fact that they seldom attack a person after 8 o'clock at night. These diseases have the peculiar tendency, AFTER BEING CURED, to return in about seven, fourteen or twenty-one days. We have given the ORDINARY COURSE of these diseases; they do not always run the same regular course, but are modified by circumstances, by the peculiar condition of the system, and by complications with other diseases. One person will complain most of his *Stomach*, another of his *Head*, and another of his *Bowels, Side, Back* or *Kidneys*. Some cases will pass through all these changes in three or four hours, while others will continue all day. Some persons will feel *tired* and *uneasy*, with an additional *cold streak* up the *back*, followed by a *dull Headache*, and so *little fever* that they will continue at work for several days before they are aware that they are SICK. A child may be sick several days before its mother notices that at about the same hour each day its *little Nails are blue, Feet, Hands Nose*, and *Ears cold*, and afterwards it is *feverish*, and *fretful*. In other cases the Fever is very *high*, the head feels as though it would *burst*, and the *Temples throb violently, Nausea* and *Vomiting of Bilious Matter, deathly sickness, very restless*, and an *anxious expression of the face.*

MILD ATTACKS do but *little damage* to the system, and are *easily cured*, but the SEVERE AND VIOLENT ATTACKS are *dangerous, and often fatal*, if not properly treated in time. SEVERE AND LONG-CONTINUED ATTACKS may cause *Inflammation of the Liver, Spleen, Bowels or Head; injure the Blood, destroy the Nervous Power, Exhaust the Vital Forces of the System, and cause Death.* In some cases the FIRST chill is *mild*, the SECOND more *severe*, and the THIRD will be a *Sinking Chill*, so much dreaded by those who know its *dangerous and fatal* effects. When children have *Worms*, it is difficult to cure Chills and Fever till the worms are first destroyed.

TREATMENT DURING THE ATTACK.

IN THE *Cold Stage*, or *Chill*, bathe the feet in HOT WATER; then put the patient in bed, between WARM BLANKETS, and have WARM STOVE LIDS, BRICK, or BOILED EARS OF CORN placed to the feet, thighs, and along the back. GIVE WARM TEAS instead of COLD WATER to drink. As the Chill abates, remove the hot things and part of the cover. When the Fever comes on, give plenty of COLD WATER or LEMONADE, and bathe the hands and face. As the Fever increases, remove the covering. Cold drinks will cool the Fever and start the Sweat. If the patient drinks too much he will vomit, which will do more good than harm. If the head aches, bathe it with cold water. When sick at the stomach, or pains in the bowels, apply a mustard plaster over the part for twenty or thirty minutes, and if not relieved in an hour apply again. If the Fever continues high, give Sweat Powders. In case of much Pain and Restlessness, get Rest Powders from your physician. Do not check his sweating, or prevent him from taking a nap. As soon as he ceases to sweat, rub the body dry with a coarse towel, and change all the damp clothing and bedding. When he wants to eat, give him tea, coffee, toast or soup.

INTERMISSION.—The Intermission lasts from twelve to sixty hours, during which time he feels nearly well, often going to work, thinking he is well. Remember the adage, that "There is a lull before the storm." To-morrow, or next day, his sufferings will be repeated, He will chill and ache, and burn and pain, and sweat and swear, or feel like it. Oh, what miserable diseases! The above treatment will not cure, but it will mitigate the suffering and prevent the disease from settling in vital parts. *The Intermission is the time to cure.* First cleanse the system with DR. HARTER'S LIVER PILLS, then commence taking DR. HARTER'S FEVER AND AGUE SPECIFIC to prevent the next attack and make a permanent cure without injury to the system. In most of cases it will be found beneficial to prepare the system for the FEVER AND AGUE SPECIFIC by DR. HARTER'S LIVER PILLS. They will act on the Liver, Stomach and Bowels, starting the Bile and the Secretions, cleanse the system, and purify the Blood. They are superior to all other purging medicines now in the market. See directions for LIVER PILLS.

For the permanent cure of all kinds of Ague, DR. HARTER'S FEVER AND AGUE AND NEURALGIA SPECIFIC stands unrivaled in the world's history It has stood the test of years, and universal use in the most malarial districts. A dose will certainly stop the severest chill, and a continuance always cures; not merely removing for a time the symptoms, but eradicating the cause of the disease.

Too much Cannot be said in favor of Dr. Harter's Ague Specific.

DARLINGTON, IND., Jan. 14, 1876.—*Dr. Harter Dear Sir:* YOUR FEVER AND AGUE SPECIFIC is the best medicine for *Ague* and *Fever* I ever used. I have used it in my family for nine years, and have never known it to fail. My son had the *Ague* three years ago. He used the SPECIFIC and has never had the Ague since. Had tried other ague preparations, but none of them did him any good. I have used your other medicines, and they all give satisfaction. I cannot say too much in favor of your Medicines.

JOSEPH M. PITTMAN.

The Multitude is Grateful for the Cures Effected by Dr. Harter's Family Medicines.

WILLIAM WALTERS, of *Como, Ark.*, writes January 22d, 1878: "DR. HARTER'S FAMILY MEDICINES have almost taken the place of all other medicines heretofore sold in this market. DR. HARTER'S FEVER AND AGUE SPECIFIC and LIVER PILLS have been used by a number of people here, and they have given entire satisfaction in every case. It must indeed be a source of great gratification to you, to know that these wonderful preparations of yours have been the means of alleviating so much suffering, and making so many extraordinary cures."

BILIOUS FEVER.

REMITTENT FEVER, RIVER, LAKE AND MARSH FEVERS, BREAKBONE FEVER AND SPOTTED FEVER are all very much alike, and the same course of treatment with our medicines will cure all these varieties of Fever. The worst types of these fevers occur in the South. They have the COLD, HOT AND SWEATING STAGES, like the Intermittent class, with a remission of one or two days, then another attack comes on as before. These stages are not so well marked nor so regular as the Intermittents. In some cases the cold or sweating stages are short, irregular, or scarcely noticed, and the fever may be light or very high.

FIRST SYMPTOMS.—A feeling of being tired, weak and overworked. Pains and aching in the head, loins and limbs. Tongue coated, bad taste, no appetite; nausea and vomiting. Tenderness over the stomach, with chills rigors, and sallow complexion. The fever increases from five to fifteen hours. As soon as the sweat appears, the patient feels more easy; goes to sleep, and awakes feeling much better, and continues so for two or three days. The remission in these diseases is not so complete or free from pain as the intermission is in intermittent diseases. Some cases begin very mild, but gradually grow worse and worse, until they assume the most violent and dangerous form of Continued or Typhoid Fever.

TREATMENT.—In the mild cases there is but little treatment required. During the COLD and HOT stages, in the more severe cases, see the COLD and HOT stages already given in *Intermittents*. Cleanse the system with an active dose of our LIVER PILLS, and afterwards purge gently once a day till well. To relieve the NAUSEA and VOMITING, give plenty of warm Boneset or Chamomile Tea, and after vomiting freely, apply mustard over the stomach. To check the fever, bathe the face, hands and feet with water, and give plenty of it to drink. If the fever continues high, give Sweet Spirits of Nitre, or Fever Powders. When suffering much, and restless, give Rest Powders. As soon as the Fever subsides give DR. HARTER'S FEVER AND AGUE SPECIFIC, either the Fluid or Pills. It will do no harm to give the Specific when there is still some fever. When the stomach is very irritable, it will not bear medicines well, hence it is very difficult to cure, and the medicines must be given in smaller doses and continued longer. If the tenderness of the stomach and vomiting still continue after the use of the mustard, then apply a blister. After several days, and if not yet relieved, call in a doctor, for the stomach is too much inflamed to retain the medicines. Our medicines will cure all but the very worst cases, complicated with an inflamed stomach.

Sinking Chills—Congestive Fever.

The first symptoms may not differ from those of Common Ague or Chills and Fever till the second or third chill, when the symptoms become alarming. The Face, Hands and Feet grow cold, pale and shriveled. He is restless, uneasy, eyes sunken but bright. He feels oppressed and wants to be fanned; calls constantly for cold water, but vomits it up; complains of burning heat when he is as cold as death. Some will vomit and purge like cholera, while others lie stupid.

TREATMENT.—*Equalize the Circulation.*—The blood has left the skin, limbs and outer surface of the body, and is filling and congesting the internal organs to their destruction and the life of the patient. Nothing but PROMPT ACTION will save his life. Apply heat to the body as directed in Intermitttents. Stimulate the skin with dry mustard, pepper or turpentine. Give hot pepper tea, whiskey, or brandy, till reaction or warmth appears. As soon as possible after the Fever begins to subside, give freely of DR. HARTER'S FEVER AND AGUE SPECIFIC till the time for the next Chill. Do not stop for night, because his life depends on getting him under the influence of our Medicines before the next chill. If the discharges are bilious, give DR. HARTER'S LIVER PILLS.

Dr. Harter's Soothing Drops for Summer Complaint.

3d Month—MARCH—1880

Moon's Phases.	*Macon, Ga.* d	h	m		*St. Louis* d	h	m	
Last Quarter	3	5	33	a.m.	3	5	6	a.m.
New Moon..	10	7	13	a.m.	10	6	46	a.m.
First Quarter	18	7	2	a.m.	18	6	35	a.m.
Full Moon...	26	7	49	p.m.	26	7	22	p.m.

Conjectures of the Weather.—1, 2, 3 cold and cloudy; 4 to 7, windy with clouds; 8 to 10, fair and warmer; 11 to 17, cooler and clear; 18 to 23, rain and wind; 24 to 26, variable; 27 to 31, sunshine and showers.

M. D.	W. D.	Moon South. h. m.	Moon Constel c. d.	N.C., S.C., Tenn., Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m.		**MARCH, 1880.** Aspects of Planets and other matters.	Sun slow	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m.	
1	M	3 34	11	6 28	5 58	11 17		♀ in ♌	12	6 32	5 53	11 37	
2	T	4 31	26	6 27	5 59	morn		☾ in perigee	12	6 31	5 54	morn	
3	W	5 30	10	6 25	5 59	0 25		3d. ♀ rises 4.58 m. ♋	12	6 29	5 55	0 48	
4	T	6 30	24	6 24	6 0	1 29		Canopus s. 7.29 a.	12	6 28	5 56	1 53	
5	F	7 31	8	6 23	6 1	2 28		Sirius s. 7.43 a. ♌	12	6 26	5 57	2 51	
6	S	8 29	22	6 22	6 2	3 18		☿ in perihelion	11	6 25	5 58	3 39	
10.)		4th Sunday in Lent.		Day's length, 11h. 42m.						Day's length, 11h. 36 m.			
7	S	9 23	6	6 20	6 2	4 2		♂ sets 0. 51 m.	11	6 23	5 59	4 18	
8	M	10 14	19	6 19	6 3	4 40		♂ ♀ ☾	11	6 22	6 0	4 52	
9	T	11 2	3	6 18	6 4	5 15		Castor s. 8.15 a.	11	6 20	6 1	5 23	
10	W	11 48	16	6 16	6 5	sets		10th. ☿ gr. elon. e.	10	6 19	6 2	sets	
11	T	ev. 33	29	6 15	6 5	7 0		♂ ♃ ☾	10	6 17	6 3	7 5	
12	F	1 18	12	6 14	6 6	8 1		♂ ☿ ☾. ♂ ♄ ☾	10	6 15	6 4	8 11	
13	S	2 3	25	6 13	6 7	8 59		♃ sets 6.7 a.	9	6 14	6 5	9 13	
11.)		5th Sunday in Lent.		Day's length, 11h. 57 m.						Day's length, 11h. 55m.			
14	S	2 49	7	6 11	6 8	9 56		♂ Nep. ☾	9	6 12	6 7	10 15	
15	M	3 36	19	6 10	6 8	10 53		♂ ♃ ☉	9	6 11	6 8	11 14	
16	T	4 25	1	6 9	6 9	11 49		☿ gr. Hel. Lat. N.	9	6 9	6 9	morn	
17	W	5 14	13	6 7	6 10	morn		♂ ♄ ☾. ☾ in apogee ♋	8	6 7	6 10	0 12	
18	T	6 4	25	6 6	6 11	0 40		18th. ♄ sets 7.28 a.	8	6 6	6 11	1 4	
19	F	6 54	7	6 5	6 11	1 28		☿ stationary. ♉	8	6 4	6 12	1 51	
20	S	7 43	19	6 4	6 12	2 10		☉ enters ♈. Spring begins	7	6 3	6 13	2 32	
12.)		Palm Sunday.		Day's length, 12h. 11m						Day's length, 12h. 13m.			
21	S	8 31	1	6 2	6 13	2 49		Procyon s. 7.33 a.	7	6 1	6 14	3 8	
22	M	9 18	14	6 1	6 13	3 26		Pollux s. 7.34 a.	7	5 59	6 15	3 40	
23	T	10 5	27	6 0	6 14	4 0		♃ sets 4.57 m.	7	5 57	6 16	4 10	
24	W	10 52	10	5 58	6 15	4 32		♂ ♅ ☾	6	5 56	6 17	4 37	
25	T	11 41	24	5 57	6 15	5 3		Regulus s. 9.46 a.	6	5 54	6 18	5 4	
26	F	morn	8	5 56	6 16	rises		26th. Spica s. 1.3 m.	6	5 52	6 19	rises	
27	S	0 31	22	5 54	6 17	7 53		Arcturus s. 1.50 m.	5	5 50	6 20	8 6	
13.)		Easter Sunday.		Day's length, 12h. 25 m.						Day's length, 12 h. 32m.			
28	S	1 25	7	5 53	6 18	9 4		♂ ☿ ☉ inf.	5	5 49	6 21	9 23	
29	M	2 22	22	5 52	6 18	10 14		☾ in perigee	5	5 47	6 22	10 36	
30	T	3 22	6	5 50	6 19	11 21		Nep. sets 8.40 a.	4	5 46	6 23	11 45	
31	W	4 24	21	5 49	6 20	morn		Antares s. 3.46 m. ♋	4	5 44	6 24	morn	

Use Dr. Harter's Iron Tonic in all Female Diseases.

MISCELLANEOUS.

MANY female diseases, if properly treated, might be arrested in their course, and thereby prove of short duration. They should not be left to an inexperienced physician who does not understand the nature of these diseases, and is therefore incompetent to treat them. The importance of attending to female diseases in their earliest stages cannot be too strongly urged, for if neglected, they frequently lead to *Consumption, Chronic Debility*, and oftentimes to *Insanity*. In ALL classes of female diseases, ladies will find a sovereign remedy in DR. HARTER'S IRON TONIC. Begin to take it *at once*, and you will bless the hour that you began the use of it.

ATTICA, IND., July 8th, 1878.—*The Dr. Harter Medicine Co.*—Gentlemen: I have been prescribing DR. HARTER'S IRON TONIC in hysterics with wonderful results. I first control the paroxysms, after which, the IRON TONIC is promptly curative. It is also an excellent medicine in convalescence from Typhoid and other fevers.

Yours truly, J. C. BURLINGTON, M.D.

CENTREVILLE, TEXAS, July 16th, 1874.—*Dr. Harter*: Mr. James Brown, of our county, has requested me to tender you his grateful acknowledgments for the great benefits his wife received from the use of your IRON TONIC.

He tells us that, after having paid three or four hundred dollars doctors' bills, two bottles of your IRON TONIC did her more good than all she ever used. She was troubled with *Derangement of the Womb, Whites, etc.*, from which she is much relieved. F. A. PATRICK & CO.

MT. PLEASANT, TEXAS, June 26, 1875.—Mr. W. H. Blythe, *Agent for Dr. Harter's Family Medicines:* Having suffered severely for years with *Neuralgia*, my whole system thereby becoming shattered, I was induced to try DR. HARTER'S IRON TONIC, not expecting much benefit, having been disappointed in other remedies so often. To my surprise I began to improve after using the IRON TONIC. I feel flattered that as soon as I can use the dozen bottles purchased of you, I will be entirely well. I do think it an excellent medicine. MRS. M. C. SUGGS.

For a delicious aromatic cordial, stimulating and invigorating in its immediate and its remote effects, nothing has ever equalled DR. HARTER'S ELIXIR OF WILD CHERRY, a preparation that is acceptable to the most delicate stomach.

BELVIDERE, ILLS, March 5th, 1878.—*The Dr. Harter Medicine Co., St. Louis, Mo.* Gentlemen; After a severe and protracted attack of Typhoid Pneumonia, in which my life was despaired of, I was left in a weak and feeble condition. By the recommendation of others I commenced using DR. HARTER'S IRON TONIC, gained rapidly, and I now enjoy good health; am 72 years of age. Permit me to return you my grateful thanks, and urge others to test its intrinsic worth.

MRS. ELIJAH WATSON.

W. P. HILL, *Crockett Station, Tenn.*, writes: "DR. HARTER'S IRON TONIC has done wonders here. A lady who had been doctored nearly to death for several years, has been cured of *Debility* and *Great Prostration* by the use of Dr. HARTER'S IRON TONIC, which raised her from her bed, where she had been lying for months."

S. B. FRANKS, of *Woodbury, Tenn.*, writing under date of July 23, 1873, says: "Your medicines sell well since I have introduced them, especially your IRON TONIC. The TONIC is pronounced by those who have used it to be the best Iron Tonic ever used in this market."

FREEPORT, FLA., March 24, 1877.—*Dr. Harter. Dear Sir:* My daughter, who has been afflicted with *Dropsy* for some time, has been using DR. HARTER'S IRON TONIC. She has derived much benefit from it. I am satisfied it will ultimately cure her.

SYLVANUS CHALKER.

BRUNERSBURG, O., Jan. 22, 1877.—*Dr. Harter;* I have been selling your medicines for the past fifteen years, and to-day they are as staple as sugar and coffee. I sell more of them than all other medicines together. I have paid at least three hundred dollars to different physicians for treating my wife, but from none of them has she received as much benefit as from your IRON TONIC and LIVER PILLS. She would recommend all ladies in delicate health to use your IRON TONIC. The AGUE SPECIFIC is a sure shot for *Ague*. It cures every time. Your SOOTHING DROPS are far superior to any others.

C. F. CLEMMONS.

Dr. Harter's Iron Tonic Cures Dyspepsia.

4th Month—APRIL—1880.

Moon's Phases.	Macon, Ga. d	h	m	St Louis. d	h	m
Last Quarter	2	0	38 p.m.	2	9	12 p.m.
New Moon..	9	9	35 p.m.	9	9	6 p.m.
First Quarter	17	1	40 a.m.	17	1	13 a.m.
Full Moon..	24	5	16 a.m.	24	4	49 a.m.

Conjectures of the Weather.—1 to 5, fair; 6 to 8, cool and pleasant; 9 to 11, warmer and cloudy; 12 to 15, showers; 16 to 20, variable; 21 to 24, clear and warmer; 15 to 28, rainy; 29, 30. fair.

D. M.	D. W.	Moon South h. m	Moon Constel c. d.	N. C., S. C., Tenn. Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m	**APRIL, 1880.** Aspects of Planets and other matters.	Sun slow	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m
1	T	5 25	♋ 5	5 48	6 20	0 22	♀ rises 4.47 m.	4	5 42	6 25	0 46
2	F	6 24	♋ 19	5 46	6 21	1 16	2d. Regulus s. 9.15 a. ♌	3	5 41	6 26	1 37
3	S	7 19	♌ 3	5 45	6 22	2 1	♀ in aphelion.	3	5 39	6 27	2 13
14.)		Low Sunday.		Day's length, 12h 38m.					Day's length, 12h. 50m.		
4	S	8 11	♌ 16	5 44	6 22	2 40	Spica s. 0.47 m.	3	5 38	6 28	2 53
5	M	8 59	♌ 29	5 42	6 23	3 15	Arcturus s. 1.14 m.	3	5 36	6 29	3 24
6	T	9 45	♍ 13	5 41	6 24	3 46	♁ sets 0.10 m.	2	5 34	6 30	3 51
7	W	10 29	♍ 26	5 40	6 25	4 16	☌ ♀ ☾. ☌ ♄ ☉	2	5 33	6 31	4 16
8	T	11 13	♎ 8	5 39	6 25	4 46	☌ ☿ ☾. ☌ ♃ ☾. ☌ ☿ ♃	2	5 31	6 32	4 42
9	F	11 57	♎ 21	5 37	6 26	sets	9th. ☌ ♄ ☾. ☿ in ♉	1	5 30	6 33	sets
10	S	ev. 43	♏ 3	5 36	6 27	7 45	☌ Nep. ☾	1	5 28	6 34	8 2
15.)		2d Sunday after Easter.		Day's length, 12h. 52m.					Day's length, 13h. 8m.		
11	S	1 30	♏ 16	5 35	6 27	8 42	☿ stationary	1	5 27	6 35	9 2
12	M	2 18	♏ 28	5 34	6 28	9 38	♃ rises 4.45 m.	1	5 25	6 36	10 1
13	T	3 7	♐ 10	5 32	6 29	10 32	Antares s. 2.54 m.	0	5 24	6 37	10 56
14	W	3 57	♐ 21	5 31	6 29	11 21	☌ ☿ ♀. ☾ in apogee ♋	0	5 22	6 38	11 45
15	T	4 46	♑ 3	5 30	6 30	morn	☌ ♁ ☽. ☌ ♀ ♃ ♉	fa	5 21	6 39	morn
16	F	5 35	♑ 15	5 29	6 31	0 6	17th. Vega s. 4.53 m.	0	5 20	6 40	0 28
17	S	6 22	♑ 27	5 28	6 32	0 47	♄ rises 5.15 m.	1	5 18	6 41	1 6
16.)		3d Sunday after Easter		Day's length, 13h. 6m.					Day's length, 13h. 25m		
18	S	7 9	♒ 9	5 26	6 32	1 23	☌ ☿ ♃	1	5 17	6 42	1 39
19	M	7 55	♒ 22	5 25	6 33	1 57	☿ in aphelion	1	5 15	6 43	2 8
20	T	8 41	♓ 5	5 24	6 34	2 28	☌ ♅ ☾	1	5 14	6 44	2 36
21	W	9 28	♓ 18	5 23	6 35	2 59	♅ sets 3.0 m.	2	5 13	6 45	3 2
22	T	10 17	♈ 2	5 22	6 35	3 31	Regulus s. 7.56 a.	2	5 11	6 46	3 29
23	F	11 10	♈ 16	5 21	6 36	4 4	24th. Spica s. 11.9 a.	2	5 10	6 47	3 58
24	S	morn	♉ 1	5 20	6 36	4 44	Arcturus s. 11.56 a.	2	5 8	6 48	4 32
17.)		4th Sunday after Easter.		Day's length, 13h. 18m.					Day's length, 13h. 42m		
25	S	0 7	♉ 16	5 19	6 37	rises	♀ gr. Hel. Lat. S.	2	5 7	6 49	rises
26	M	1 8	♊ 1	5 18	6 38	9 6	☿ gr. elon. w. ☾ in perig.	2	5 6	6 50	9 29
27	T	2 11	♊ 16	5 17	6 39	10 11	Antares s. 1.59 m. ♏	3	5 4	6 51	10 35
28	W	3 15	♋ 1	5 16	6 40	11 9	Nep. sets 6.51 a.	3	5 3	6 52	11 31
29	T	4 16	♋ 15	5 15	6 41	11 58	Vega s. 4.2 m. ♌	3	5 1	6 53	morn
30	F	5 14	♋ 29	5 14	6 41	morn	Spica s. 10.41 a.	3	5 0	6 54	0 17

Use Dr. Harter's Liniment for Sprains and Bruises.

DR. HARTER'S

Fever and Ague Specific Pills.

Are prepared from the same class of medicines as those used in the SPECIFIC, in bottles, and will cure the same kind of diseases, and may be given in all cases for which the SPECIFIC is recommended, with full confidence of success. These Pills are VALUABLE, CHEAP, SAFE, SPEEDY and CERTAIN to cure.

The "old story" Told Over and Over Again.

"DR. HARTER'S FEVER AND AGUE SPECIFIC cures after everything else fails."

PARKER'S STORE, IND., April 13, 1877.—*Dr. Harter*—Dear Sir: Your medicines are selling well here, and giving good satisfaction. I used DR. HARTER'S FEVER AND AGUE SPECIFIC twelve years ago, and it cured me after everything else had failed. I used many other Ague preparations, but nothing did me any good till I used your AGUE SPECIFIC. Have not had the Ague since. C. A. BROWN.

In a country where Fever and Ague are of such common occurrence as to be almost the leading disease, the knowledge of some safe and sure remedy is of great importance. To know that you have at hand, without the delay and expense ever attending the summoning of a physician, a medicine which will arrest in its inception one of the most distressing, and oftentimes almost incurable complaints afflicting humanity, should be a source of gratification to every one. DR. HARTER'S FEVER AND AGUE SPECIFIC has stood the test of years, and of universal use, in the most malarial districts; it will certainly stop the severest *Chill*, and a continuance always cures, not merely for a time removing the symptoms, but eradicating the cause of the disease. The rank vegetation of our tropical summers frequently rots on the plains and valleys, and sends forth a poisonous atmosphere, and the dread disease follows at once. We advise all to prepare for the time of need, by keeping a package constantly on hand.

There has been an unprecedented demand for DR. HARTER'S FEVER AND AGUE SPECIFIC (both in fluid and pill form). Notice the high recommendations, in this Almanac, of the wonderful success it has met with, over and above remedies of like character; they come from men who are not to be deceived, who would not lend themselves to further a humbug. No one, after reading these testimonials, can for a moment entertain an opinion, or even a doubt, of the sincerity of so many men of character and standing in society.

Neuralgia of Ten Years' Duration Cured

JOHN W. LAUNVILLE, *Blairsville, Williamson County, Ill.*, says: "I have used your medicines in my family for the past four years, and they have given entire satisfaction. The AGUE PILLS are a sure death to Neuralgia. They cured me after having it for ten years."

It is best, in every case of *Fever and Ague*, that the bowels should be moved before commencing the use of DR. HARTER'S FEVER AND AGUE SPECIFIC, by a purgative, such as DR. HARTER'S LIVER PILLS. These valuable Pills, when taken with DR. HARTER'S FEVER AND AGUE SPECIFIC, are productive of the most happy results. No better Cathartic can be used, preparatory to or after taking the SPECIFIC.

F. A. CAIN, *Fayette, C. H. Ala.*, writes: "DR. HARTER'S FEVER AND AGUE SPECIFIC will cure long standing cases of *Ague*. I gave it to my little daughter, who was a mere skeleton from the long effects of *Ague*, and she is now well and a new child. My wife suffered eight months from *Chills* and *Fever*; nothing would do her any good till she commenced using DR. HARTER'S AGUE SPECIFIC, which cured her immediately."

5th Month—MAY—1880.

Moon's Phases.	*Macon, Ga.* d	h	m	*St. Louis.* d	h	m
Last Quarter	1	8	19 p.m.	1	7	52 p.m,
New Moon..	9	0	42 p.m.	9	0	15 p.m.
First Quarter	17	4	49 p.m.	17	4	22 p.m.
Full Moon..	24	1	5 p.m.	24	0	38 p.m.
Last Quarter	30	5	19 a.m.	30	4	52 a.m.

Conjectures of the Weather—1 to 5, fair; 6 to 8, cloudy; 9 to 12, clear; 13 to [illegible] showers; 16 to 20, warm; 21 to 24, showe[illegible] 25 to 28, sultry; 29, thunder storm; 30, 31, [illegible] [illegible]ant.

M. D.	W. D.	Moon South. h. m.	Moon Constel c. d.	N.C., S.C., Tenn., Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m.		**MAY, 1880.** Aspects of Planets and other matters.	Sun fast.	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m.
1	S	6 8	13	5 13	6 42	0 41		♂ ♄ ♀. ♂ Nep. ☉	3	4 59	6 55	0 55
18.)		Rogation Sunday.		Day's length, 13h. 30 m.						Day's length, 13 h. 58m.		
2	S	6 57	26	5 12	6 42	1 17		1st. ♀ rises 4.21 m.	3	4 58	6 56	1 [illegible]
3	M	7 44	10	5 11	6 43	1 48		Spica s. 10.29 a.	3	4 56	6 57	1 54
4	T	8 28	23	5 10	6 44	2 18		Arcturus s. 11.17 a.	3	4 55	6 58	2 20
5	W	9 11	5	5 9	6 45	2 48		♂ ♃ ☾	4	4 54	6 59	2 45
6	T	9 55	18	5 8	6 45	3 19		♂ ♄ ☿. ♂ ♄ ☾	4	4 53	7 0	3 11
7	F	10 40	0	5 7	6 46	3 49		♂ ☿ ☽. ♂ ♀ ☾	4	4 52	7 1	3 37
8	S	11 26	12	5 6	6 47	4 24		♂ Nep. ☾	4	4 51	7 2	4 9
19.)		Sunday after Ascension.		Day's length, 13h. 42m						Day's length, 14h. 13m.		
9	S	ev. 13	24	5 5	6 47	sets		9th. ♄ sets 11.17 a.	4	4 50	7 3	sets
10	M	1 2	6	5 4	6 48	8 25		☿ gr. Hel Lat. S.	4	4 49	7 4	8 48
11	T	1 52	18	5 4	6 49	9 15		☾ in apogee ♋	4	4 48	7 5	9 39
12	W	2 41	0	5 3	6 50	10 1		♅ stationary ♉	4	4 47	7 6	10 23
13	T	3 30	12	5 2	6 50	10 43		♄ gr. Hel. Lat. N.	4	4 46	7 6	11 3
14	F	4 17	23	5 1	6 51	11 20		♂ ♄ ☾	4	4 45	7 7	11 37
15	S	5 3	5	5 1	6 52	11 55		♃ rises 2.54 m.	4	4 44	7 8	morn
20.)		☗ Pentecost—Whit Sunday.		Day's length, 13h. 53 m.						Day's length, 14h. 26m.		
16	S	5 48	18	5 0	6 53	morn		Antares s. 0.45 m.	4	4 43	7 9	0 8
17	M	6 33	0	4 59	6 53	0 26		17th. ♂ ♅ ☾	4	4 42	7 10	0 35
18	T	7 18	13	4 59	6 54	0 57		♂ Nep. ♀. ♂ Nep. ☿	4	4 42	7 11	1 2
19	W	8 5	26	4 58	6 55	1 27		♂ ☿ ♀	4	4 41	7 12	1 27
20	T	8 55	10	4 58	6 55	1 59		♄ rises 3.15 m.	4	4 40	7 13	1 55
21	F	9 49	25	4 57	6 56	2 35		Vega s. 2.36 m.	4	4 39	7 14	2 26
22	S	10 47	9	4 56	6 57	3 16		Altair s. 3.44 m.	4	4 38	7 15	3 1
21.)		Trinity Sunday.		Day's length, 14h. 1m.						Day's length, 14h. 37 m.		
23	S	11 50	24	4 56	6 57	4 2		24th. Spica s. 9.11 a.	3	4 38	7 15	3 44
24	M	morn	9	4 55	6 58	rises		☾ in perigee ☽	3	4 37	7 16	rises
25	T	0 55	25	4 55	6 59	8 55		□ ♅ ☉	3	4 36	7 17	9 18
26	W	2 1	10	4 55	6 59	9 49		♅ sets 0.43 m. ♌	3	4 36	7 18	10 10
27	T	3 2	24	4 54	7 0	10 36		Arcturns s. 9.46 a.	3	4 35	7 19	10 52
28	F	4 0	9	4 54	7 1	11 16		Antares s. 11.54 a.	3	4 35	7 19	11 27
29	S	4 52	23	4 54	7 1	11 50		☿ in ♌	3	4 34	7 20	11 57
30	S	5 41	6	4 53	7 2	morn		30th. Nep. rises 3.26 m	3	4 34	7 21	morn
31	M	6 26	20	4 53	7 2	0 21		Vega s. 1.56 m.	2	4 34	7 22	0 23

ALWAYS CERTAIN.

MANY PHYSICIANS, envious of the great success of DR. HARTER'S FEVER AND AGUE SPECIFIC, and in many instances, because the "SPECIFIC" has *cured* cases that they had failed to benefit, have denounced the "SPECIFIC" as containing poison. We do most positively assert that no mineral or vegetable poison enters into its composition, as the most rigid and exacting analysis will determine. We court the test, and the result in every examination will be to substantiate what we have always claimed—that is, DR. HARTER'S FEVER AND AGUE SPECIFIC is perfectly harmless, and is as innocent as bread. It can be given to the youngest babe as well as the aged and infirm with perfect safety.

MR. JACOB BOSCH, *Supt. of Poor Farm, Warrenton Co., Mo.*, writes, Jan. 26th, 1879: "One of my boys, six years of age, had Chills and Fever for three years; had three of our best physicians at different times, and have tried various Fever and Ague remedies, with no benefit. A friend suggested DR. HARTER'S FEVER AND AGUE SPECIFIC in connection with DR. HARTER'S LIVER PILLS, and it is with great pleasure I inform you of his complete recovery. I consider it the ONLY Chill and Fever Medicine that I can recommend."

MESSRS. A. W. BANTA & BRO., *Benton, Ind.*, write, Sept. 9th, 1877: "Send us more AGUE SPECIFIC as early as possible; we have but two bottles on hand. We can truthfully say that your Ague Cure caps all others that we have ever heard of or handled. We have sold every bottle under a warranty, and as yet *not a single bottle* has been returned to us."

DR. HARTER'S ELIXIR OF WILD CHERRY is a safe preparation for all classes of females in every condition and station in life. It is an infallible remedy for those many serious complaints that have their origin in derangement of the Liver, such as *Dyspepsia, Jaundice, Costiveness, Intermittent and Remittent Fevers, Nervous and Sick Headache.*

The task of recommending these Celebrated Medicines, has, to a great extent been taken out of our hands. Enlightened men, whose characters for sound judgment give weight to their opinions; men who observe reflect, and make "assurance doubly sure" before they decide, are everywhere approving and urging the use of these medicines. All who have investigated or used them are now of one mind on the subject. We would call the attention of the sick to the original letters from members of the Medical Profession, Editors, Lawyers, Merchants, Mechanics, Farmers, Laborers, and Ladies of the highest respectability, giving accounts of extraordinary cures wrought by these remedies, of which cures they themselves were eye-witnesses.

Read Dr. Moore's Testimony.

This is only one out of a thousand in favor of our valuable LINIMENT:

A. A. MOORE, *Pittsboro, Miss.*, says: "I shall ever feel thankful to you for placing so valuable a medicine as your LINIMENT in my hands. My little daughter fell down stairs, a distance of some eight feet, receiving a severe cut and bruise on her jaw and head. When taken up she was perfectly lifeless and insensible, and remained so for some minutes after. When she became conscious her suffering was very great, so much so that it was necessary to hold her while her wounds were being washed. We dressed them with your LINIMENT, after which the child fell asleep. She has complained very little of pain since. Its healing powers I cannot speak too highly of."

D. G. SMITH, *of Cora, Sullivan Co., Mo.*, writes, Sept. 3rd, 1878: DR. HARTER'S FEVER AND AGUE SPECIFIC sells rapidly. It is acknowledged here to be the best Ague Remedy ever used in this section of the country. Has never failed in a single instance to effect a cure. All of your medicines are more popular than any sold here.

WILLIAM F. WALTER, *of Como, Ark.*, writes, Jan. 22nd, 1878: DR. HARTER'S FEVER AND AGUE SPECIFIC and LIVER PILLS have within my knowledge cured many cases that other remedies failed to benefit. I hear many speak of your Medicines in flattering terms.

Dr. Harter's Liver Pills are a Safe, Certain and Mild Purge.

6th Month—JUNE—1880.

Moon's Phases.	*Macon, Ga.* d	h	m	*St. Louis.* d	h	m
New Moon..	7	4	21 a.m.	7	3	54 a.m.
First Quarter	15	4	17 a.m.	15	3	50 a.m.
Full Moon...	22	8	12 p.m.	22	7	45 p.m.
Last Quarter	29	4	23 p.m.	29	3	56 p.m.

Conjectures of the Weather.—1, 2, 3 warm; 4 to 7 showers; 8 to 11, fair and cool; 12 to 15, sultry; 16 to 18, cloudy, 19 to 21, heavy thunder storm; 22 to 25, cool and pleasant; 26 to 30, cloudy and warmer.

D. M.	D. W.	Moon South h. m	Moon Constel c. d.	N. C., S. C., Tenn., Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m.	JUNE, 1880. Aspects of Planets and other matters.	Sun fast.	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m.
1	T	7 10	♋ 3	4 53	7 3	0 51	♂ ☿ ☉ sup.	2	4 33	7 22	0 49
2	W	7 54	♋ 15	4 52	7 3	1 21	♂ ♃ ☾. ☿ in perihelion.	2	4 33	7 23	1 16
3	T	8 38	♋ 27	4 52	7 4	1 53	♂ ♄ ☾	2	4 32	7 23	1 42
4	F	9 23	♌ 9	4 52	7 4	2 25	♂ Nep. ☾	2	4 32	7 24	2 10
5	S	10 10	♌ 21	4 52	7 5	3 0	♀ rises 4.8 m.	2	4 32	7 25	2 43
23.)		2d Sunday after Trinity.		Day's length, 14h. 13m					Day's length, 14h. 53m.		
6	S	10 59	♌ 3	4 52	7 5	3 41	♂ ♀ ☾	1	4 32	7 25	3 21
7	M	11 48	♌ 15	4 51	7 6	sets	7th. ☾ in apogee ♋	1	4 31	7 26	sets
8	T	ev·38	♌ 27	4 51	7 6	8 0	♂ ☿ ☾	1	4 31	7 26	9 23
9	W	1 27	♍ 9	4 51	7 7	8 42	♄ sets 10.20 a. ♉	1	4 31	7 27	9 3
10	T	2 15	♍ 20	4 51	7 7	9 20	Arcturus s. 8.51 a.	1	4 31	7 27	9 39
11	F	3 1	♎ 2	4 51	7 8	9 55	♂ ♄ ☾	1	4 31	7 28	10 10
12	S	3 46	♎ 15	4 51	7 8	10 27	Antares s. 10.55 a.	0	4 31	7 28	10 38
24.)		3d Sunday after Trinity.		Day's length, 14h. 17m.					Day's length, 14h. 58m.		
13	S	4 29	♎ 27	4 51	7 8	10 58	☿ gr. Hel. Lat. N.	0	4 31	7 29	11 4
14	M	5 13	♏ 9	4 51	7 9	11 28	♂ ♅ ☾	sl.	4 31	7 29	11 30
15	T	5 58	♏ 22	4 51	7 9	11 58	15th. ♃ rises 1.6 m.	0	4 31	7 29	11 55
16	W	6 45	♐ 5	4 51	7 10	morn	♄ in aphelion	1	4 31	7 30	morn
17	T	7 35	♐ 19	4 51	7 10	0 31	Vega s. 0.49 m.	1	4 31	7 30	0 23
18	F	8 30	♑ 3	4 51	7 10	1 7	Altair s. 1.57 m.	1	4 31	7 31	0 55
19	S	9 29	♑ 18	4 52	7 11	1 50	♄ rises 1.25 m.	1	4 31	7 31	1 33
25.)		4th Sunday after Trinity.		Day's length, 14h. 19m.					Day's length, 15h. 0m.		
20	S	10 33	♑ 3	4 52	7 11	2 39	☉ ent. ♋. Sum'r begins.	1	4 31	7 31	2 20
21	M	11 38	♑ 18	4 52	7 11	3 37	♀ in ♌. ☾ in perig. ♋	2	4 31	7 31	3 15
22	T	morn	♒ 4	4 52	7 11	rises	22d. Arctu. s. 8.4 a. ♌	2	4 32	7 32	rises
23	W	0 43	♒ 19	4 53	7 11	8 26	♅ sets 10.50 a.	2	4 32	7 32	8 45
24	T	1 44	♓ 4	4 53	7 11	9 10	Antares s. 10.7 a.	2	4 32	7 32	9 23
25	F	2 41	♓ 18	4 53	7 11	9 47	Vega s. 0.18 m.	2	4 32	7 32	9 56
26	S	3 32	♈ 2	4 53	7 12	10 .0	Altair s. 1.26 m.	3	4 33	7 32	10 25
26.)		5th Sunday after Trinity.		Day's length, 14h. 18m.					Day's length, 14h. 59m.		
27	S	4 21	♈ 16	4 54	7 12	10·52	Fomalhaut s. 4.28 m.	3	4 33	7 32	10 51
28	M	5 7	♈ 29	4 54	7 12	11 22	Nep. rises 1.35 m.	3	4 34	7 32	11 18
29	T	5 51	♉ 12	4 54	7 12	11 54	29th. Markab. s. 4.27 m.	3	4 34	7 32	11 45
30	W	6 36	♉ 24	4 55	7 12	morn	♂ ♃ ☾	3	4 35	7 32	morn

Dr. Harter's Vermifuge Candy is sure to destroy Worms.

DR. HARTER'S

ELIXIR OF WILD CHERRY.

The immediate effect of this really great BLOOD PURIFIER and life - giving ELIXIR is to strengthen the stomach, sharpen the appetite tone and regulate the bowels, and give steadiness and vigor to the nerves. As a preventive of endemic and epidemic complaints that prevail, and as a remedy for *Indigestion, Dyspepsia, Liver Disturbance, Nervous Debility, Constipation, Languor, Headache,* and all *Irregularities of the Bowels*, this pure and wholesome Tonic stands without a rival in the world.

The bark of WILD CHERRY is one of the most valuable of American remedies. Uniting with a [illegible] power the property of calming irritation [illegible] diminishing nervous excitability, it is admi[illegible]y adapted to the treatment of diseases in [illegible]hich debility of the stomach or of the system is united with general or local irritation. Weakness is ordinarily the cause of all sickness; for if nature be strong enough to resist the morbid influences which produce illness, of course they are powerless. Seek strength, therefore; invigorate and regulate the system. The healthy may protect the system by using Dr. HARTER'S ELIXIR OF WILD CHERRY.

Men of sedentary habits, whether closely kept at the pulpit, the bar, the study, the desk, the counter or the counting-room, are peculiarly liable to dyspepsia and other annoying complaints arising from an inactive stomach, torpid liver or constipated bowels. To such persons, a knowledge of some pleasant and efficacious *Tonic* is invaluable. DR. HARTER'S ELIXIR OF WILD CHERRY is the best of all the numerous preparations for the removal of every form of *Indigestion.* Being entirely free from mineral, and depending on vegetable matter for its Tonic properties, it can be taken with impunity by the most delicate lady, as by the sedentary student whose system has suffered by over-taxation of the brain. It is pleasant to the taste and immediate in its remedial action.

MR. JACOB HENDRIX, *De Soto, Miss.*, writing under date of March 27, 1874, says: "I must say your ELIXIR OF WILD CHERRY is the best I have ever known. I am 72 years of age, and very feeble; have been taking the ELIXIR OF WILD CHERRY, and I feel at least twenty years younger. Your other medicines are just what they are claimed to be."

This famous vitalizing Tonic will give you strength and appetite. It will build you up, INVIGORATE and VITALIZE the entire nervous and physical system; imparts tone, vigor, brain-power and nervous force, and energy, and makes you feel like a new being.

The ELIXIR OF WILD CHERRY is unsurpassed as a Tonic for *General Debility, Languor or Weakness, Languid Circulation, Nervous Irritability, Dyspepsia, Relaxed Condition of the Stomach and Intestines, Convalescence from Fevers, for persons in delicate health, the aged and infirm, Loss of Appetite, etc.* It imparts STRENGTH, LIFE and VITALITY to the whole system.

STRINGTOWN, TEX., Nov. 17, 1877.—*Dr. Harter*—DEAR SIR: I have been suffering for some time with a loss of appetite, and nervous feeling. I was induced to try a bottle of DR. HARTER'S ELIXIR OF WILD CHERRY. I am glad to say that my recovery was complete. I would recommend this valuable preparation to all who are similarly affected. HENRY LANGE.

Dr. Harter's Ague Specific is Speedy, and Certain to Cure.



7th Month—JULY—1880.

Moon's Phases.	Macon, Ga. d	h	m		St. Louis. d	h	m	
New Moon..	7	7	47	p.m..	7	7	20	p.m.
First Quarter	15	0	42	p.m.	15	0	15	p.m.
Full Moon...	21	3	28	a.m.	21	3	1	a.m.
Last Quarter	28	6	7	a.m.	28	5	40	a.m.

Conjectures of the Weather.—1, 2, 3, hot and sultry; 4 to 7 light showers; 8 to 12, warm, 13 to 15; thunder showers; 17 to 20 clear and hot; 21 to 25, cloudy and sultry; 26 to 29, fair; 30, 31. cooler.

D. M.	D. W.	Moon South h. m	Moon Constel c. d.	N. C., S. C., Tenn. Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m	JULY, 1880. Aspects of Planets and other matters.	Sun slow	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m.
1	T	7 21	♈ 6	4 55	7 12	0 26	♂ ♄ ☾	4	4 35	7 32	0 13
2	F	8 7	♈ 18	4 56	7 12	1 1	♂ Nep. ☾	4	4 36	7 31	0 44
3	S	8 55	♉ 0	4 56	7 12	1 40	☉ in apogee.	4	4 36	7 31	1 20
27.)		6th Sunday after Trinity.		Day's length, 14h. 11m.					Day's length, 14h. 51m.		
4	S	9 44	♉ 12	4 57	7 11	2 23	☾ in apogee ♋	4	4 37	7 31	2 2
5	M	10 34	♉ 24	4 57	7 11	3 11	☿ gr. elong. E.	4	4 38	7 31	2 49
6	T	11 23	♊ 6	4 58	7 11	4 3	☿ in ♌ ♌	5	4 38	7 31	3 42
7	W	ev. 12	♊ 18	4 58	7 11	sets	7th. ♂ ♀ ☾	5	4 39	7 30	sets
8	T	0 59	♋ 0	4 58	7 11	7 59	♀ rises 4.44 m.	5	4 39	7 30	8 14
9	F	1 44	♋ 12	4 59	7 10	8 31	♂ ☿ ☾. □ ♃ ☉	5	4 40	7 30	8 42
10	S	2 29	♋ 24	4 59	7 10	9 1	♂ ♁ ☾	5	4 41	7 30	9 9
28.)		7th Sunday after Trinity.		Day's length, 14h. 19m.					Day's length, 14h. 48m.		
11	S	3 12	♌ 6	5 0	7 10	9 31	♂ ♅ ☾	5	4 41	7 29	9 34
12	M	3 56	♌ 19	5 1	7 9	10 1	♁ sets 9.9 a	5	4 42	7 29	10 0
13	T	4 42	♍ 2	5 1	7 9	10 31	♂ ♀ ☉ sup.	6	4 42	7 28	10 25
14	W	5 29	♍ 15	5 2	7 9	11 5	Antares s. 8.49 a.	6	4 43	7 28	10 54
15	T	6 20	♍ 29	5 2	7 8	11 43	15th. Vega s. 10.55 a.	6	4 44	7 27	11 29
16	F	7 15	♎ 13	5 3	7 8	morn	☿ in aphelion	6	4 45	7 26	morn
17	S	8 15	♎ 27	5 4	7 8	0 28	♃ rises 11.6 a.	6	4 46	7 26	0 10
29.)		8th Sunday after Trinity.		Day's length, 14h. 3m.					Day's length, 14h. 38m.		
18	S	9 18	♏ 12	5 4	7 7	1 21	Altair s. 11.55 a. ♑	6	4 47	7 25	1 0
19	M	10 22	♏ 26	5 5	7 7	2 22	♄ rises 11.29 a.	6	4 48	7 24	2 0
20	T	11 25	♐ 11	5 6	7 6	3 30	□ ♄ ☉. ☾ in apogee ♌	6	4 49	7 23	3 10
21	W	morn	♐ 26	5 6	7 6	rises	21st. Fomal. s. 2.53 m.	6	4 50	7 23	rises
22	T	0 24	♑ 11	5 7	7 5	7 41	☿ stationary	6	4 50	7 22	7 52
23	F	1 19	♑ 26	5 8	7 4	8 16	♅ sets 8.57 a.	6	4 51	7 22	8 23
24	S	2 10	♒ 10	5 8	7 4	8 50	♀ in perihelion	6	4 52	7 21	8 52
30.)		9th Sunday after Trinity		Day's length, 13h. 51m					Day's length, 14h. 27m.		
25	S	2 58	♒ 24	5 9	7 3	9 21	Vega s. 10.16 a.	6	4 53	7 20	9 18
26	M	3 45	♓ 7	5 10	7 2	9 53	Markab s. 2.41 m.	6	4 54	7 19	9 45
27	T	4 30	♓ 20	5 10	7 2	10 25	♂ ♃ ☾	6	4 54	7 18	10 13
28	W	5 16	♈ 3	5 11	7 1	11 0	28th. ♄ gr. Hel.Lat. S.	6	4 55	7 17	10 45
29	T	6 3	♈ 15	5 11	7 0	11 38	♂ Nep. ☾	6	4 56	7 16	11 20
30	F	6 51	♈ 27	5 12	7 0	morn	Nep. rises 11.26 a.	6	4 57	7 15	11 59
31	S	7 40	♉ 9	5 13	6 59	0 20	♂ ☿ ♀	6	4 58	7 14	morn

Dr. Harter's Liver Pills Invigorate the Stomach.

IMPORTANT.

MANY medicines which enjoyed large public favor in the past, from the fact of their wide notoriety through advertising, have almost entirely disappeared from public notice because they were not meritorious, and failed to fill the promises made by the originators. Being aware that many Proprietary Medicines are manufactured and placed before the public by persons who have but little knowledge of medicine, and no medical experience, we deem it due to the public, and in justice to ourselves, to make the following statement:

DR. HARTER, the originator of DR. HARTER'S CELEBRATED FAMILY MEDICINES, studied under one of the most successful practitioners of the Southwest, and graduated with *distinguished honors* at the following Medical Colleges:

The University of the City of New York, in 1844.

Castleton Medical College, of Castleton, Vermont, in 1845.

Ackley Medical College, at Cleveland, Ohio, in 1846.

Jefferson Medical College, in Philadelphia, in 1851.

Cincinnati College of Medicine and Surgery, of Cincinnati, Ohio, in 1856.

Bellevue Medical College, of New York, in 1866.

DR. HARTER was a *Profound and Original Thinker*. Though educated in the most distinguished Medical Schools in the United States, he rejected all old dogmas, and struck out for himself, independent of all schools,

Compounding his own Remedies,

and administering them with his own hands, watching their effect on disease with all the *care and solicitude* that the mother watches her sick babe, and thus, by many years of experience, in an extensive and diversified practice, did he fully test these *Now Famous Remedies*.

It never occurred to him that these remedies would be used outside of his practice, until the *demand became so urgent* that he was compelled to give them to the public, which he did by simply writing the directions for each package and wrapping it in brown paper with his own hands. The demand rapidly increased, and he found it necessary to employ a force to put them up. To this time he had never advertised a line. Perhaps there is not a *parallel case in the world*, where a medicine attained such celebrity and extensive reputation without any advertising whatever, as

Dr. Harter's Celebrated Family Medicines.

Finally the sales increased to such an extent that it became necessary to abandon his large and lucrative practice, and give his personal attention to the manufacture and sale of his Medicines, that have *attracted so much attention*, and now have such an enviable fame.

A Life Saved by Dr. Harter's Iron Tonic.

FALSONVILLE, IND, March 16, 1878.

DR. HARTER—Dear Sir: I have been using your Iron Tonic in my family for some time, and find it to be of the greatest benefit of any remedy I have ever used. It cured my boy after he had been given up by the doctors to die. My boy was weakly from birth; he was spitting and slobbering to such an extent that his clothes were always wet. He became so weak that four of our best doctors said he must die; he was beyond human aid. I was induced to give him your Iron Tonic, which, I am happy to say, has made a *complete cure*. Every body here looks upon it as a miracle. W. H. BONE.

DR. HARTER'S FAMILY MEDICINES endorsed by the medical profession:

DR. L. A. BASSETT, of *Swanton, Ohio*, writes, Jan. 23d, 1878: "I have used in my practice and sold your FAMILY MEDICINES for the past ten years, and from my knowledge of them I can conscientiously recommend the same to the public generally."

More evidence of the superiority of DR. HARTER'S FEVER AND AGUE SPECIFIC:

W. T, LEAGUE, *Estil Springs, Tenn.*, says: "I suffered with Fever and Ague for a year. I tried roots and herbs and all kinds of ague medicines without getting any relief. I took large quantities of quinine, which only staved it off for a time, only to return with double force. I continued to suffer until I took DR. HARTER'S FEVER AND AGUE SPECIFIC, which acted like a charm. I can safely say that I am now free from this miserable, prostrating disease."

MESSRS. J. E. ALVERSTON & CO., of *Eldon, Iowa*, write May 6th, 1878: "Your FEVER AND AGUE SPECIFIC AND LIVER PILLS are meeting with unprecedented success, and our sales have far surpassed our expectations. We are in need of both at present and hope you will fill our order at once."

Dr. Harter's Liver Pills have a Direct Action on the Liver.

8th Month—AUGUST—1880.

Moon's Phases.	*Macon, Ga.* d h m	*St. Louis.* d h m
New Moon..	5 10 14 a.m.	5 9 47 a.m.
First Quarter	13 7 8 p.m.	13 6 41 p.m.
Full Moon..	19 11 44 a.m.	19 11 17 a.m.
Last Quarter	27 10 41 p.m.	27 10 14 p.m.

Conjectures of the Weather—1 to 5, fair; 6 to 8, cloudy; 9 to 12, clear; 13 to 15, hot and dry; 16 to 20, warm; 21 to 24, showers; 25 to 28, sultry; 29, thunder storm; 30, 31, cooler and pleasant.

M. D.	W. D.	Moon South. h. m.	Moon Constel c. d.	N.C., S.C., Tenn., Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m.	**AUGUST, 1880.** Aspects of Planets and other matters.	Sun slow	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m.
31.)		10th Sunday after Trinity.					Day's length, 13h. 44m..		Day's length, 14h. 14 m		
1	S	8 29	21	5 14	6 58	1 7	♂ ♅ ♄ . ☾ in apogee ♋	6	4 59	7 13	0 45
2	M	9 19	2	5 14	6 57	1 56	♀ sets 7.23 a. ♍	6	5 0	7 12	1 35
3	T	10 8	14	5 15	6 56	2 50	Antares s. 7.30 a.	6	5 1	7 11	2 31
4	W	10 55	26	5 16	6 55	3 47	♂ ☿ ☉ inf.	6	5 2	7 10	3 30
5	T	11 42	8	5 16	6 55	4 45	5th. ♂ ☿ ☾.	6	5 3	7 9	4 31
6	F	ev.27	21	5 17	6 54	sets	□ Nep. ☉. ♂ ♀ ☾	6	5 3	7 7	sets
7	S	1 11	3	5 18	6 53	7 35	♂ ♅ ☾	5	5 4	7 6	7 40
32.)		11th Sunday after Trinity.					Day's length, 13h. 34 m.		Day's length, 14h. 0m.		
8	S	1 55	18	5 18	6 52	9 5	♂ ♄ ☽ . ♃ stationary.	5	5 5	7 5	8 5
9	M	2 40	29	5 19	6 51	8 35	♄ stationary	5	5 6	7 4	8 31
10	T	3 27.	12	5 20	6 50	9 8	♃ gr. Hel. Lat. S.	5	5 7	7 3	8 59
11	W	4 16	26	5 21	6 49	9 45	♄ sets 8.0 a.	5	5 8	7 1	9 31
12	T	5 9	9	5 21	6 48	10 27	Vega s. 9.5 a.	5	5 9	7 0	10 9
13	F	6 6	23	5 22	6 47	11 15	13th. Altair s. 10.13 a.	5	5 10	6 59	10 55
14	S	7 6	7	5 23	6 46	morn	☿ stationary.	6	5 11	6 58	11 49
33.)		12th Sunday after Trinity.					Day's length, 13h. 22m		Day's length. 13h. 44m.		
15	S	8 7	22	5 23	6 45	0 10	♀ gr. Hel. Lat. N. ♋	4	5 12	6 56	morn
16	M	9 9	6	5 24	6 43	1 13	Nep. stationary ♌	4	5 13	6 55	0 52
17	T	10 9	21	5 25	6 42	2 21	☾ in perigee.	4	5 14	6 53	2 2
18	W	11 4	5	5 25	6 41	3 32	♃ rises 9.3 a.	4	5 15	6 52	3 17
19	T	11 57	20	5 26	6 40	4 43	19th, Fomal. s. 0.59 m.	3	5 16	6 51	4 33
20	F	morn	4	5 26	6 39	rises	♂ ♅ ♀	3	5 17	6 49	rises
21	S	0 47	18	5 27	6 38	7 19	☿ gr. elong. W.	3	5 18	6 48	7 18
34.)		13th Sunday after Trinity.					Day's length, 13h. 9 m.		Day's length, 13 h. 27m.		
22	S	1 35	2	5 28	6 37	7 52	♄ rises 9.17 a.	3	5 19	6 46	7 47
23	M	2 22	15	5 29	6 35	8 25	♂ ♃ ☾	2	5 20	6 45	8 15
24	T	3 9	28	5 [illegible]	6 34	8 59	♂ ♄ ☾	2	5 21	6 43	8 45
25	W	3 56	11	5 30	6 33	9 36	☿ in ♌. ♂ Nep. ☾	2	5 22	6 42	9 18
26	T	4 44	23	5 31	6 32	10 16	Markab s. 0.39 m.	1	5 22	6 40	9 57
27	F	5 33	5	5 31	6 31	11 1	27th. ♅ sets 6.44 a.	1	5 23	6 39	10 40
28	S	6 22	17	5 32	6 29	11 49	Algenib s. 1.40 m. ♋	1	5 24	6 37	11 28
29	S	7 12	29	5 33	6 28	morn	♋ in apogee ♍	1	5 25	6 36	morn
30	M	8 [illegible]	11	5 33	6 27	0 42	☿ in perihelion	0	5 26	6 34	0 22
31	T	8 49	23	5 34	6 26	1 37	Nep. rises 9.21 a.	0	5 27	6 33	1 19

Use Dr. Harter's Lung Balm for Bronchitis.

DR. HARTER'S

LUNG BALM,

Is indispensable and absolutely necessary in all diseases of the Throat and Lungs, Consumption, Bronchitis, Asthma, Croup, Whooping-Cough, Colds, Lung Fever, Pneumonia, Hoarseness, Difficulty in Breathing, Pain or Soreness in the Chest, and all diseases of the Air-tubes.

"This valuable preparation has no superior in the world," is what hundreds will testify, who have had occasion to use this sovereign remedy. This BALM has a peculiar healing effect on the diseases above named.

ROCK CHEROKEE CO., TEXAS, Oct. 28, 1877.—*Dr. Harter:* Dear Sir—I have had a very severe cough for some months. I used a number of remedies, and none of them afforded me any relief. DR. HARTER'S LUNG BALM was recommended to me. I was relieved at once by the use of this sovereign REMEDY. Before I commenced using your LUNG BALM, I was unable to go about, but now I am able to be out and attend to my business. I feel assured that it will CURE me. THOMAS E. WIGGINS.

DR. HARTER'S LUNG BALM allays the pain, heals the sores and ulcers in the Lungs. It does not dry the lungs, like cough medicines, but assists nature to expel the matter; it checks and finally cures the most distressing, hacking and irritable Cough, which would, if not attended to in time, result in Consumption. A slight cold, which may be at first thought nothing of, may develop into Consumption. On the first appearance of a cough, DR. HARTER'S LUNG BALM should be used. Delays are dangerous; neglecting a "slight cold" has in many cases resulted in death. Do not suffer this disease to knit its vital threads in your system; it is certain to hurry you to an untimely grave.

For a violent cough, or when a person has taken a sudden and heavy cold, and is "all stopped up;" where there is no expectoration or running at the nose, DR. HARTER'S LUNG BALM is just what is necessary. Take this valuable medicine according to directions, and it will surely break the most distressing cough or sudden cold.

PINE HILL, TEXAS, March 6, 1877.—*Dr. Harter:* Dear Sir—Your ASTHMA REMEDY was received in due time. I am very much pleased with it. When I received it I was suffering very much with asthma; could scarcely get my breath; I used the ASTHMA REMEDY, and relief was almost instantaneous. Since that time I have been troubled but very little.

MRS. M. J. CLINTON.

ASTHMA may be defined as being a *Nervous, Spasmodic Disorder of the Chest or Respiratory Organs,* characterized by *great difficulty of breathing,* recurring in paroxysms at regular intervals, attended with a feeling of *constriction of the chest,* and accompanied by a *loud, wheezing sound of expiration, cough, with distressing and laborious breathing,* almost amounting to inability of respiration, or want of power to inspire sufficient air to fill the lungs.

On the receipt of $2, with history of the case, and age and sex given, we send the ASTHMA REMEDY. Persons afflicted with this distressing disease should at once procure a package of this valuable remedy. It is only put up as ordered.

Dr. Harter's Liver Pills Restore the Secretions.

9th Month—SEPTEMBER—1880.

Moon's Phases.	*Macon, Ga.* d h m	*St. Louis.* d h m
New Moon..	4 11 18 p.m.	4 10 51 p.m.
First Quarter	11 0 51 a.m.	11 0 24 a.m.
Full Moon...	18 9 55 p.m.	18 9 28 p.m.
Last Quarter	26 5 34 p.m.	26 5 7 p.m.

Conjectures of the Weather.—1, 2, 3, warm; 4 to 7 light showers; 8 to 12, cool and cloudy; 13 to 16, variable; 17 to 20, thunder storm; 21 to 23, clear and pleasant; 24 to 28, warmer; 29, 30, clear or partly cloudy.

D. M.	D. W.	Moon South h. m.	Moon Constel c. d.	N. C., S. C., Tenn., Ark., Ga., Ala., Miss., La., Texas. Sun rises	Sun sets	Moon R. & S. h.	m	SEPTEMBER, 1880. Aspects of Planets and other matters.	Sun fast.	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises	Sun sets	Moon R. & S. h.	m
1	W	9 36	5	5 35	6 24	2	34	♂ ♅ ☉	0	5 28	6 31	2	19
2	T	10 22	17	5 35	6 23	3	33	♀ sets 7.3 a.	1	5 29	6 30	3	21
3	F	11 7	29	5 36	6 22	4	30	4th. ♂ ☿ ☾	1	5 30	6 28	4	24
4	S	11 52	12	5 36	6 20	sets		♂ ♅ ☾	1	5 31	6 27	sets	
36.)		15th Sunday after Trinity.		Day's length, 12h. 42m.						Day's length, 12h. 53m.			
5	S	ev. 37	26	5 37	6 19	6	37	♂ ♀ ☾. ♂ ♄ ☾	2	5 32	6 25	6	34
6	M	1 24	9	5 38	6 18	7	11	♄ sets 6.58 a.	2	5 33	6 24	7	3
7	T	2 14	23	5 38	6 16	7	46	♂ ♀ ♄	2	5 34	6 22	7	35
8	W	3 6	6	5 39	6 15	8	26	♂ ♅ ☿	3	5 35	6 20	8	10
9	T	4 1	20	5 39	6 14	9	12	☿ gr. Hel. Lat. N.	3	5 36	6 19	8	53
10	F	5 0	4	5 40	6 12	10	5	11th. Altair s. 8.23 a.	3	5 36	6 17	9	44
11	S	6 0	18	5 41	6 11	11	4	♃ rises 7.25 a.	4	5 37	6 16	10	43
37.)		16th Sunday after Trinity.		Day's length, 12h. 28m.						Day's length, 12h. 36m.			
12	S	7 0	3	5 42	6 10	morn		Fomalhaut s. 11.21 a. ♌	4	5 38	6 14	11	50
13	M	7 59	17	5 42	6 8	0	10	☾ in perigee	4	5 39	6 12	morn	
14	T	8 54	1	5 43	6 7	1	19	♄ rises 7.44 a.	5	5 40	6 10	1	2
15	W	9 47	15	5 44	6 6	2	27	Markab s. 11.17 a.	5	5 41	6 9	2	15
16	T	10 37	29	5 44	6 4	3	35	Algenib s. 0.25 m.	5	5 42	6 7	3	27
17	F	11 25	13	5 45	6 3	4	38	18th. ♂ ☿ ☉ sup.	6	5 43	6 5	4	36
18	S	morn	27	5 46	6 2	rises		Polaris s. 1.25 m.	6	5 44	6 3	rises	
38.)		17th Sunday after Trinity.		Day's length, 12h. 14m.						Day's length, 12h. 17m.			
19	S	0 12	10	5 46	6 0	6	21	♅ rises 4.27 m.	7	5 45	6 2	6	13
20	M	0 59	23	5 47	5 59	6	56	♂ ♃ ☾. ♂ ♄ ☾	7	5 46	6 0	6	45
21	T	1 47	6	5 48	5 58	7	32	♂ Nep. ☾	7	5 47	5 59	7	17
22	W	2 35	19	5 48	5 56	8	11	☉ ent. ♎ autumn begins	8	5 48	5 57	7	53
23	T	3 24	1	5 49	5 55	8	55	Achernar s. 1.23 m.	8	5 49	5 55	8	35
24	F	4 14	13	5 49	5 54	9	42	Anetis s. 1.46 m.	9	5 50	5 54	9	21
25	S	5 4	25	5 50	5 52	10	34	☾ in apogee	9	5 51	5 52	10	13
39.)		18th Sunday after Trinity.		Day's length, 12h. 0m.						Day's length, 11h. 59m.			
26	S	5 54	7	5 51	5 51	11	28	26th. ♃ in perihel. ♍	9	5 52	5 51	11	9
27	M	6 42	18	5 51	5 50	morn		Nep. rises 7.33 a.	9	5 53	5 49	morn	
28	T	7 29	0	5 52	5 48	0	24	♂ ♄ ☿	10	5 54	5 47	0	8
29	W	8 15	13	5 53	5 47	1	22	Fomalhaut s. 10.14 a.	10	5 55	5 45	1	9
30	T	9 0	25	5 54	5 46	2	19	Markab s. 10.18 a.	10	5 56	5 44	2	9

Dr. Harter's Ague Specific is Speedy, and Certain to Cure

THE MIDNIGHT HORROR CROUP. DR. HARTER'S LUNG BALM always in the house is a safeguard against this terrible disease, that comes on in the night, as is too often the case, when there is nothing in the house with which to combat this deadly foe. In going for a physician or procuring a remedy, valuable time is lost, which oftentimes proves fatal to the child; with such a remedy as DR. HARTER'S LUNG BALM in the house, one need have no fear. Given at the first symptoms, it will always prevent the attack; or, if given while the child is suffering with the Croup, it will afford relief in an incredibly short time.

Our assertions are always corroborated by those who use our medicines.

WM. BOURLAND, of *Bourland's Store, Ark.*, Oct. 12th, 1877: "DR. HARTER'S LUNG BALM is all that its name indicates. Many of my friends pronounce it the sovereign remedy for the diseases for which it is recommended."

BEN LOMOND, ARK.—*Dr. Harter:* I have been in the practice of medicine for twenty-eight years, and contracted a severe and troublesome cough, which lasted eighteen years, for which I used many preparations, with no relief. At last I tried your LUNG BALM, which entirely cured me. DR. J. H. WILSON.

MESSRS. SPROULE & CO., *Stilesboro, Ga.—Dr. Harter:* Your LUNG BALM is giving universal satisfaction. Our Mr. J. F. Sproule has used it, and says it is the best lung medicine he ever used. Drs. Sims and Beazely are using it exclusively in their practice for Lung Diseases, and recommend it highly.

STRAWBERRY PLAINS, TENN., February 1, 1873. —*Dr. Harter:* My daughter, five years old, had Typhoid Fever in 1871. She partially recovered, but remained weak and emaciated unable to walk. We gave her numerous remedies, but nothing did her any good. We gave her your IRON TONIC, and she commenced to improve at once. She is now in the enjoyment of the health and vigor of childhood.

A. A. MEEK.

A vitalizing, strength-sustaining medicine is the great necessity for all who are feeble of frame and deficient in constitutional stamina. The artificial strength derived from DR. HARTER'S IRON TONIC will enable the most debilitated to regain their lost health or give strength to those that are fragile, so that they may live as long as the robust.

A Life Saved by the use of Dr. Harter's Family Medicines.

JAMES T. MAY, Attorney at Law, *La Fayette, Ala.*, says: "I suffered four years with Fistula and Nervous Prostration. I could find no remedy that gave me relief. As I was fifty years of age, and my whole nervous system prostrated, strength gone, and the powers of life giving way, I was well aware that my time was short unless I got help. I had heard of the fame of DR. HARTER'S FAMILY MEDICINES. I commenced with the LIVER PILLS, and as soon as they had acted well upon the Liver and cleansed the system, I commenced taking DR. HARTER'S IRON TONIC. To my astonishment, my nervous spells stopped; my health was restored, and my fistula was cured. I am to-day a well man."

Dr. Harter's Iron Tonic Recommends Itself.

EDINBURG, MISS., Sept. 29, 1875.—*Dr. Harter:* There is no medicine we sell that gives such universal satisfaction as DR. HARTER'S IRON TONIC. We had thought of sending you some certificates of cures effected by it, but a compound of such genuine merit best recommends itself.

FINCHER & LEE.

WM. FRANK, of *Washington, Kans.*, writes, Oct. 15, 1878: "I had the Ague in Ohio eight years ago; could find nothing that would cure me till I used DR. HARTER'S AGUE SPECIFIC. One bottle cured me. Have not had the Ague since. I am selling a great deal of it, and I warrant every bottle of it. Never had a single bottle returned. One of my customers told me that he spent five dollars for different ague preparations, but with no success. Half a bottle of DR. HARTER'S AGUE SPECIFIC cured him. No more Chills since using it."

Use Dr. Harter's Lung Balm for Soreness in the Chest.



10th Month—OCTOBER—1880.

Moon's Phases.	*Macon, Ga.* d	h	m		*St. Louis.* d	h	m	
New Moon..	3	11	9	a.m.	3	10	42	a.m.
First Quarter	10	7	1	a.m.	10	6	34	a.m.
Full Moon..	19	17	52	a.m.	17	10	25	a.m.
Last Quarter	26	1	26	p.m.	26	0	59	p.m.

Conjectures of the Weather.—1 to 5, fair; 6 to 8, cloudy; 9 to 12, clear; 13 to 15, warm and cloudy; 16 to 20, cool; 21 to 24, showers; 25 to 28, frost; 29 to 31, cool, clear and pleasant weather.

M. D.	W. D.	Moon South. h. m.	Moon Constel c. d.	N.C., S.C., Tenn., Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m.	OCTOBER, 1880. Aspects of Planets and other matters.	Sun fast.	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m.
1	F	9 44	♋ 8	5 54	5 44	3 16	♂ ♅ ☾	11	5 57	5 42	3 12
2	S	10 30	♋ 21	5 55	5 43	4 16	☿ in ♍	11	5 58	5 40	4 16
40.)		19th Sunday after Trinity.				Day's length, 11h. 46m.					Day's length, 11 h. 39m.
3	S	11 17	♌ 4	5 56	5 42	5 19	3d. ♀ sets 6.34 a.	11	5 59	5 38	5 24
4	M	ev. 6	♌ 18	5 56	5 40	sets	♂ ♄ ☾	12	6 0	5 37	sets
5	T	0 59	♍ 2	5 57	5 39	6 25	♂ ☿ ☾. ♂ ♀ ☾	12	6 1	5 35	6 9
6	W	1 53	♍ 16	5 58	5 38	7 9	Fomalhaut s. 9.46 a.	12	6 2	5 34	6 51
7	T	2 54	♎ 1	5 58	5 36	8 1	♂ ♃ ☉	12	6 3	5 32	7 41
8	F	3 54	♎ 15	5 59	5 35	9 0	☾ in perigee ♋	13	6 4	5 31	8 39
9	S	4 55	♎ 29	6 0	5 34	10 4	♄ sets 5.41 a. ♌	13	6 5	5 29	9 44
41.)		20th Sunday after Trinity.				Day's length, 11h. 32m.					Day's length, 11h. 22m
10	S	5 54	♏ 13	6 1	5 33	11 11	10th. ♀ in ♍	13	6 6	5 28	10 54
11	M	6 50	♏ 27	6 1	5 32	morn	Markab s. 9.35 a.	13	6 7	5 26	morn
12	T	7 42	♐ 11	6 2	5 30	0 19	☿ in aphelion	14	6 8	5 25	0 5
13	W	8 32	♐ 25	6 3	5 29	1 25	♃ sets 5.34 m.	14	6 9	5 23	1 16
14	T	9 19	♑ 9	6 4	5 28	2 29	Algenib s. 10.31 a.	14	6 10	5 22	2 25
15	F	10 6	♑ 23	6 4	5 27	3 31	Polaris s. 11.34 a.	14	6 11	5 20	3 32
16	S	10 52	♒ 6	6 5	5 26	4 33	Achernar s. 11.49 a.	15	6 13	5 19	4 38
42.)		21st Sunday after Trinity.				Day's length, 11h. 18m.					Day's length, 11h. 3m
17	S	11 39	♒ 19	6 6	5 24	5 33	17th. ♂ ♃ ☾	15	6 14	5 17	5 43
18	M	morn	♓ 2	6 7	5 23	rises	♂ ♄ ☾. ♀ ♄ ☉	15	6 15	5 16	rises
19	T	0 27	♓ 14	6 7	5 22	6 7	♂ Nep. ☾	15	6 16	5 14	5 50
20	W	1 16	♓ 27	6 8	5 21	6 49	♄ sets 6.2 m.	15	6 17	5 13	6 29
21	T	2 6	♈ 9	6 9	5 20	7 36	Anetis s. 11.56 a.	15	6 18	5 11	7 15
22	F	2 56	♈ 21	6 10	5 19	8 26	Aldebaran s. 2.25 m. ♈	16	6 19	5 10	8 5
23	S	3 46	♉ 3	6 10	5 18	9 19	☾ in apogee ♍	16	6 20	5 9	8 59
43.)		22d Sunday after Trinity.				Day's length, 11h. 6m.					Day's length, 10h. 46 m.
24	S	4 34	♉ 15	6 11	5 18	10 14	♅ rises 2.20 m.	16	6 21	5 7	9 57
25	M	5 21	♉ 26	6 12	5 16	11 10	♂ ♄ ☉	16	6 22	5 6	10 55
26	T	6 7	♊ 8	6 13	5 15	morn	26th. Capella s. 2.48 m.	16	6 23	5 4	11 55
27	W	6 52	♊ 21	6 14	5 14	0 6	Rigel s. 2.45 m.	16	6 24	5 3	morn
28	T	7 36	♋ 3	6 15	5 13	1 2	Sirius s. 4.11 m.	16	6 25	5 2	9 57
29	F	8 20	♋ 16	6 15	5 12	2 1	♂ ♅ ☾	16	6 26	5 1	1 59
30	S	9 6	♋ 29	6 16	5 11	3 1	Nep. rises 5.21 a.	16	6 28	4 59	3 4
31	S	9 54	♌ 13	6 17	5 10	4 3	Canopus s. 8.41 m.	16	6 29	4 58	4 11

Dr. Harter's Liver Pills have a Direct Action on the Liver.

DR. HARTER'S

GERMAN VERMIFUGE CANDY

Never fails to destroy or expel the *Long Round Worm*, and can be given to any person or child, at any time, even while taking other medicines. It should always be taken when there are signs of Worms.

The most common disease and the one to which every child is subject, is Worms. Few children are free from this dreadful evil, from which arise most of the complaints to which they are victims, and which tends at an early age, to sow seeds of future sickness, if it does not end—as is too often the case—in the death of the child. Worms cause much suffering, produce spasms, impair the health, injure the system, destroy the mind, and cause insanity.

The aversion which all children have to taking medicine, and the difficulty in inducing the child to take it, suggested to DR. HARTER the propriety of disguising his Vermifuge, so that the smallest child will not object to taking it, and he has succeeded beyond his most sanguine expectations.

DR. HARTER'S VERMIFUGE CANDY is safe, certain, and as pleasant as candy to eat, and at the same time sure to destroy the Worms.

Persons with Worms are sure to have some of the following

SYMPTOMS.—*Tongue coated; bad breath; bowels full, with grinding pains; either costive or diarrhœa discharges, slimy, bloody or mixed with food; appetite changeable; picking the nose; lips swollen; nervous, fretful, restless, wakeful; starting and crying in sleep; grinding the teeth; eyes rolling and sunken; circles about the eyelids; fits, spasms, dry cough, feverish, pale and sickly; colicky; puking, purging, &c.*

JACKSON CORNERS MO.—*Dr. Harter:* Send more Worm Medicine. It is the best remedy we ever sold here. It cured one case that *two doctors* gave up. The Ague Medicine has never failed.
BRONSON JACKSON.

There are several varieties of Worms that infest the intestines of the human subject.

PIN, THREAD OR SEAT WORMS (*Ascarides*) are very small, varying from one-twelfth to one-half an inch in length. They affect the large intestines more particularly the rectum, which is often quite packed with them, causing great annoyance by an intolerable itching, which is often taken for a disease of the skin.

DR HARTER'S PIN WORM REMEDY always acts promptly and efficiently.

JOHN F. BEAN, *Bean's Station, Texas*, writes. "*Dr. Harter:* Please send me your PIN WORM REMEDY for a little girl five years of age. I have sent to you several times, for myself and others, and I have never failed to receive the medicine. It has always acted promptly and efficiently in every case. I am satisfied that it is the only reliable PIN WORM MEDICINE we have in this part of the country."

On the receipt of fifty cents, with the AGE and SEX given, we will send the PIN WORM REMEDY, with full directions, postpaid. The Medicine will not be sent unless the money accompanies the order.

N. PASS, *Plattsville, Ark.*, says: "My little child had *fits*. I procured a bottle of DR. HARTER'S GERMAN VERMIFUGE CANDY, and gave it to the child according to directions. I never saw so many worms passed from any person before. My child is now well, and I ascribe it all to the use of your celebrated VERMIFUGE CANDY. &c.

Dr. Harter's Liniment Cures Neuralgia.

11th Month—NOVEMBER—1880.

Moon's Phases.	*Macon, Ga.* d	h	m		*St. Louis.* d	h	m	
New Moon..	2	10	21	p.m.	2	9	54	p.m.
First Quarter	9	2	46	p.m.	9	2	19	p.m.
Full Moon...	16	3	5	a.m.	16	2	38	a.m.
Last Quarter	24	8	31	a.m.	24	8	4	a.m.

Conjectures of the Weather.—1, 2, 3, fair; 4 to 7 light showers; 8 to 12, cool and cloudy; 13 to 16, variable; 17 to 20, pleasant; 21 to 23, clear, pleasant and frost; 24 to 28, variable; 29, 30, rain or snow.

D. M.	D. W.	Moon South h.	m	Moon Constel	e.	d.	N. C., S. C., Tenn. Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h.	m	**NOVEMBER, 1880.** Aspects of Planets and other matters.	Sun fast.	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h	m.
1	M	10	45	♍	27		6	18	5	9	5	8	☿ gr. Hel. Lat. s.	16	6	30	4	57	5	20
2	T	11	41	♎	11		6	19	5	8	6	17	2d. ♂ ♄ ☾	16	6	31	4	56	6	33
3	W	ev.	40	♎	26		6	20	5	7	sets		♂ ☿ ☾. ☿ gr. elon. e.	16	6	32	4	55	sets	
4	T	1	43	♏	11		6	21	5	6	6	50	♂ ♀ ☾. ♂ Nep. ♋	16	6	34	4	53	6	29
5	F	2	46	♏	25		6	22	5	6	7	54	♀ sets 6.31 a.	16	6	35	4	52	7	34
6	S	3	47	♐	10		6	23	5	5	9	2	Algenib s. 9.0 a.	16	6	36	4	51	8	44
45.)	24th Sunday after Trinity						Day's length, 10h. 40m.								Day's length, 10h. 13m.					
7	S	4	45	♐	24		6	24	5	4	10	11	Polaris s. 10.4 a.	16	6	37	4	50	9	56
8	M	5	39	♑	8		6	24	5	3	11	18	♄ rises 6.14 m.	16	6	38	4	49	11	8
9	T	6	30	♑	22		6	25	5	2	morn		9th. Acher. s. 10.14 a.	16	6	40	4	49	morn	
10	W	7	17	♒	6		6	26	5	2	0	21	Arietis s. 10.38 a.	16	6	41	4	48	0	16
11	T	8	3	♒	19		6	27	5	1	1	23	Aldebaran s. 1.6 m.	16	6	42	4	47	1	23
12	F	8	49	♓	3		6	28	5	0	2	24	☿ stationary	16	6	43	4	46	2	28
13	S	9	35	♓	16		6	29	5	0	3	25	♂ ♃ ☾	15	6	44	4	45	3	33
46.)	25th Sunday after Trinity.						Day's length, 10h. 29m.								Day's length, 9h. 58m.					
14	S	10	22	♈	28		6	30	4	59	4	25	♀ in aphelion. ♂ ♄ ☾	15	6	46	4	44	4	37
15	M	11	10	♉	11		6	31	4	59	5	23	♂ Nep. ☾	15	6	47	4	43	5	39
16	T	11	59	♉	23		6	32	4	58	6	20	16th. ♃ sets 3.4 m.	15	6	48	4	42	6	40
17	W	morn		♊	5		6	33	4	58	rises		Capella s. 1.20 m.	15	6	49	4	41	rises	
18	T	0	49	♊	17		6	34	4	57	6	19	Rigel s. 1 18 m. ♋	15	6	50	4	41	5	58
19	F	1	39	♊	29		6	34	4	57	7	11	♄ sets 3.54 m. ♍	14	6	51	4	40	6	51
20	S	2	28	♋	11		6	35	4	57	8	5	☾ in apogee	14	6	52	4	40	7	47
47.)	26th Sunday after Trinity.						Day's length, 10h. 20m.								Day's length, 9h. 46m.					
21	S	3	16	♋	23		6	36	4	56	9	0	☿ in ♎	14	6	53	4	39	8	45
22	M	4	2	♌	5		6	37	4	56	9	55	Canopus s. 2.15 m.	14	6	54	4	38	9	44
23	T	4	46	♌	17		6	38	4	56	10	51	♂ ☿ ☉ inf.	13	6	55	4	38	10	43
24	W	5	29	♌	29		6	39	4	55	11	47	24th. ♅ rises 6.24 m.	13	6	57	4	37	11	44
25	T	6	12	♍	11		6	40	4	55	morn		☿ in perih. ♂ ♅ ☾	13	6	58	4	37	morn	
26	F	6	56	♍	24		6	41	4	55	0	45	♄ in ♉	12	6	59	4	36	0	46
27	S	7	42	♎	7		6	42	4	54	1	45	Sirius s. 2.14 m.	12	7	0	4	36	1	50
48.)	1st Sunday in Advent						Day's length, 10h. 12m.								Day's length, 9 h. 35m.					
28	S	8	30	♎	21		6	42	4	54	2	47	♂ ♄ ☿	12	7	1	4	36	2	57
29	M	9	23	♏	5		6	43	4	54	3	53	Nep. sets 4.49 m.	11	7	2	4	35	4	7
30	T	10	20	♏	19		6	44	4	54	5	2	♂ ☿ ☾	11	7	3	4	35	5	21

Dr. Harter's Vermifuge Candy is sure to destroy Worms.

READ AND REFLECT.

DR. HARTER'S IRON TONIC acts as a specific in many diseases of the skin, and may be administered with favorable results to any. It also exercises a controlling influence in bilious complaints; and when the system has been debilitated, either by the use of powerful or mineral medicines, or other causes, it will be found an excellent restorative.

ELLENTON, S. C., May 29, 1875.—*Dr. Harter:* I used your IRON TONIC to a considerable extent in my practice last fall, and was well pleased with its effects. It produces more satisfactory results in my hands, than any preparation of Bark and Iron I have ever used.

S. G. MABLEY, M. D.

MR. J. W. HARRIS, of Henderson, Texas, says: "My daughter had the third-day Ague for several months, her case baffling all treatment. I was in despair. DR. HARTER'S FEVER AND AGUE SPECIFIC PILLS were recommended to me. My daughter commenced using them, and before she had used all of the PILLS she was cured."

JAMES SLOVER of *Pulaski Co., Ind.*, writes: "I had the Dyspepsia and Liver Complaint for nine years; could keep nothing on my stomach. I was induced to use DR. HARTER'S LIVER PILLS. After one box of Pills I experienced a decided improvement, and when I had finished the second one I was *entirely cured.*"

JOHN Q. WELBORN, of *Keysport, Ill.*, writes: "I meet with a ready sale for DR. HARTER'S FAMILY MEDICINES. I cured a little girl of Ague of two years' standing, after the physicians had failed to benefit her. I think that your AGUE SPECIFIC and IRON TONIC are the best medicines in the world."

Bilious or *Sick Headache* depends upon the torpidity of the Liver, and a disturbed condition of the Digestive Organs, and is accompanied by Nausea, and other symptoms of gastric irritation. A few doses of DR. HARTER'S LIVER PILLS afford relief, by correcting the secretions and giving a healthy tone to the alimentary canal.

TAPE WORM.



This worm often acquires a very great length—from thirty to forty feet and more. It is from four to ten lines in breadth, flat, white and composed of a series of links and joints, resembling a piece of tape. The head is armed with two processes, by which the worm attaches itself to the intestines. It habits the upper portion of the bowels and stomach. It is never voided whole; it passes off in pieces of a greater or less number of joints, or single joints.

TAPE-WORM SYMPTOMS.—The symptoms which usually arise are countenance pale, lead colored, with occasional transient flushes; eyes dull; pupils dilated, with a bluish semi-circle around the lower eye-lids; tickling of the nose; tumid upper lip; occasional headache and humming in the ears; breath foul; variable appetite, being sometimes voracious, at others wholly gone; transient pains in the stomach; occasional nausea and vomiting; pains in the abdomen; frequent slimy stools, or costiveness; emaciation of other parts of the body; lassitude; irritability of temper. None of these symptoms are positive, the only certain indications being the appearance of pieces in the evacuations from the bowels or stomach.

On the receipt of $2.00 for TAPE WORM REMEDY, with the age and sex given, we will send the medicines postpaid.

CONCORDIA, Mo., July 11th, 1877.—*Dr. Harter:* Dear Sir—Your TAPE WORM REMEDY was received in due time, and nine hours after I had taken the last dose, I passed fifty feet of Tape Worm. I am now quite another person. I have been troubled with this terrible pest for eleven years, and until I tried your REMEDY, was not able to get any relief. Feeling grateful to you for the great cure, I am yours truly,

JERRY BREEN.

"The Best in the World."

MR. JOHN SHANKS, of *De Soto, Miss.*, writes March 21st, 1878: "With feelings of gratitude I inform you of the *complete* success of your TAPE WORM REMEDY. In about twelve hours after the REMEDY was administered, the entire worm was expelled, and my child is now well. I consider it the best tape worm medicine in existence."



12th Month—DECEMBER—1880.

Moon's Phases.	*Macon, Ga.* d	h	m		*St. Louis.* d	h	m	
New Moon..	1	9	22	a.m.	1	8	55	a.m.
First Quarter	8	1	4	a.m.	8	0	37	a.m.
Full Moon..	16	10	2	p.m.	16	9	35	p.m.
Last Quarter	24	1	23	a.m.	24	0	55	a.m.
New Moon..	31	8	22	p.m.	31	7	55	p.m.

Conjectures of the Weather.—1 to 5, fair; 6 to 8, cloudy; 9 to 12, clear; 13 to 15, cold; 16 to 20, variable; 21 to 24, showers; 25 to 28, frost; 29 to 31, raw and cold.

M. D.	W. D.	Moon South. h. m.	Moon Constel c. d.	N.C., S.C., Tenn., Ark., Ga., Ala., Miss., La., Texas. Sun rises and sets.		Moon R. & S. h. m.	**DECEMBER, 1880.** Aspects of Planets and other matters.	Sun fast.	Ohio, Ind., Ills., Mo., Iowa, Neb., Kansas, Ky. Sun rises and sets.		Moon R. & S. h. m.
1	W	11 22	4	6 45	4 54	6 13	1st. ♂ ♄ ☾	11	7 4	4 35	6 34
2	T	ev.27	19	6 46	4 54	sets	☾ in perigee ♋	10	7 5	4 35	sets
3	F	1 31	3	6 46	4 54	6 43	☿ stationary. ♌	10	7 6	4 35	6 24
4	S	2 33	19	6 47	4 54	7 55	♃ stationary. ♂ ♀ ☾	9	7 7	4 34	7 39
47.)		2d Sunday in Advent.		Day's length, 10h 6m.						Day's length, 9h. 26m.	
5	S	3 31	4	6 48	4 54	9 5	□ ♅ ☉. ☿ gr. Hel. Lat.N.	9	7 8	4 34	8 53
6	M	4 24	19	6 49	4 54	10 12	♀ gr. Hel. Lat. S.	8	7 9	4 34	10 6
7	T	5 14	3	6 50	4 54	11 17	♀ sets 7.18 a.	8	7 10	4 34	11 15
8	W	6 2	16	6 51	4 54	morn	8th. Algenib s. 6.55 a.	8	7 11	4 34	morn
9	T	6 47	29	6 51	4 54	0 19	Polaris s. 7.58 a.	7	7 11	4 34	0 21
10	F	7 33	12	6 52	4 54	1 19	♂ ♃ ☾	7	7 12	4 34	1 26
11	S	8 19	25	6 53	4 55	2 19	♂ ♄ ☾	6	7 13	4 34	2 30
50.)		3d Sunday in Advent.		Day's length, 10h. 1m.						Day's length, 9h. 20m.	
12	S	9 6	8	6 54	4 55	3 18	♂ Nep. ☾	6	7 14	4 34	3 33
13	M	9 55	20	6 54	4 55	4 15	☿ gr. elong. W.	5	7 15	4 35	4 34
14	T	10 44	2	6 55	4 55	5 10	♄ rises 5.58 m.	5	7 15	4 35	5 32
15	W	11 34	14	6 55	4 56	6 05	Achernar s. 7.53 a. ♏	4	7 16	4 36	6 28
16	T	morn	26	6 56	4 56	rises	16th. ♃ sets 1.4 m. ♉	4	7 17	4 36	rises
17	F	0 24	8	6 57	4 57	5 59	☾ in apogee.	3	7 17	4 36	5 40
18	S	1 12	19	6 57	4 57	6 53	♅ stationary	3	7 18	4 37	6 37
51.)		4th Sunday in Advent.		Day's length, 10h. 0m						Day's length, 9h. 19m.	
19	S	1 58	1	6 58	4 58	7 49	♄ sets 1.51 m.	2	7 18	4 37	7 36
20	M	2 43	13	6 58	4 58	8 45	♅ rises 10.38 a.	2	7 19	4 38	8 36
21	T	3 26	25	6 59	4 58	9 40	☉ ent. ♑ winter begins	1	7 19	4 38	9 35
22	W	4 9	7	6 59	4 59	10 35	Nep. sets 3.16 m.	1	7 19	4 39	10 35
23	T	4 51	20	7 0	5 0	11 33	♂ ♅ ☾. ♂ ♄ ☿	0	7 20	4 39	11 36
24	F	5 35	3	7 0	5 0	morn	24th. ♄ stationary.	sl.	7 20	4 40	morn
25	S	6 20	16	7 1	5 1	0 32	Aldebaran s. 10.9 a.	1	7 21	4 40	0 40
52.)		1st Sunday after Christmas.		Day's length, 10h. 0m						Day's length, 9h. 20m.	
26	S	7 9	29	7 1	5 1	1 34	Capella s. 10.44 a.	1	7 21	4 41	1 46
27	M	8 2	13	7 1	5 2	2 38	Rigel s. 10.41 a.	2	7 21	4 42	2 54
28	T	9 0	27	7 2	5 3	3 45	Canopus s. 11.49 a.	2	7 22	4 42	4 5
29	W	10 2	12	7 2	5 3	4 54	☿ in ♑. ♂ ♄ ☾ ♋	3	7 22	4 43	5 16
30	T	11 7	27	7 2	5 4	5 59	31st. ♂ ☿ ☾ ♌	3	7 23	4 43	6 22
31	F	ev.12	12	7 3	5 5	6 59	□ ♃ ☉. ☾ in perigee	4	7 23	4 44	7 20

DR. HARTER'S

LIVER PILLS.

GOOD, SAFE, SURE and RELIABLE FAMILY PILLS are the most essential and important remedy in every family. Pills are always ready to use, are easy to take, and are the first medicine to take in almost every disease. They cleanse the *Stomach* and *Bowels*, start the *Secretions*, and prepare the system for other medicines that may be needed. There is scarcely a pain or an ache in the whole body that is not more or less benefited by a purge. DR. HARTER'S LIVER PILLS are a *safe, certain and mild purge*, and by increasing the dose, they become very *energetic* and *sure* LIVER PILLS, acting especially on the Liver, starting and regulating the flow of bile and expelling it from the body. These Pills combine the two essential qualities of a SUPERIOR FAMILY PILL: they act as a mild and efficient purge, and at the same time they are the BEST LIVER PILLS ever offered to the public. We defy the world to produce their equal.

GREEN BAY, VA., March 14, 1875.—*Dr. Harter:* I have used many different kinds of Pills for *Sick Headache, Pain in my Left Side, and Cold in the Bowels*, but never found any equal to your LIVER PILLS. I have been troubled with a pain in my left side for years back, and at times it is so bad that I cannot get about; have not slept on my left side for years back. I have used your LIVER PILLS several times, and have experienced great relief. I am satisfied they will cure me entirely.

I gave your VERMIFUGE CANDY to two of my children, and one passed about sixty large worms and the other forty. W. P. WILL.

The first effect of a bilious climate upon the human system, as now well established, is to produce torpor and inactivity of the liver, thereby obstructing the natural and free discharges of bile. All know the lurking nature of the poison that produces these diseases. A sallow complexion, capricious appetite, and occasional pain in the side, are perhaps the only symptoms to warn us of the impending danger. DR. HARTER'S LIVER PILLS will counteract the miasmal influence by producing activity of the biliary organs, and a healthy, natural discharge of bile from the system.

Bilious or *Sick Headache*, or such as arises from a disordered state of the digestive organs, usually affects one side of the head only, or but a portion of it, most commonly over one eye, and increasing to an acute and often throbbing pain. It is commonly accompanied with a feeling of sickness, often nausea to vomiting, and produces extreme languor and depression of spirits. This will be entirely removed by using freely of DR. HARTER'S LIVER PILLS.

DIRECTIONS.—In *Chills and Fever, Ague, Intermittent, Bilious, Remittent, Congestive, Yellow and Lung Fever, Inflammation, Jaundice, Torpid and Congested Liver, Severe Pains, Headache, and all Sudden Attacks of any disease*, give a *full* and *active* dose, as active purging with these pills will give immediate relief. In all cases of *Pains in the Head, Eyes, Breast, Shoulders, Back, Bowels, Side, Limbs, Cold Hands and Feet, Chronic Liver Complaints, Rush of Blood and Dizziness in the Head, Drowsiness, and all Long Standing Diseases, and Uncommon Derangements of the System*, these Pills should be taken two or three times a week in *moderate doses*. In *Costiveness* give one Pill every night until they begin to act, then regulate the dose so that the bowels may move once or twice a day, and continue till cured. In all *Chronic Diseases*, purge two or three times a week. In all *Lingering and Feeble Cases*, purge lightly but keep up a healthy action of the Bowels with these Pills, for they will assist digestion, purify the blood, and restore good health. These Pills can be used with perfect safety by the old or young. Women in delicate health or any condition, may use them without fear of injury.

DR. HARTER'S LIVER PILLS are as innocent as bread, yet all-powerful as a remover of the cause of sickness; may be taken at any time of day or night, without alteration in diet or fear of cold.

Truth Stranger than Fiction.

As a vitalizing tonic, DR. HARTER'S IRON TONIC has no equal. It has imparted NEW LIFE AND VIGOR where other standard remedies have been found to be useless. It has been used by many persons, both old and young, in cases of *lingering chronic Cough*, and it never fails to give relief. It builds up the system, so as to enable nature to work out its own cure. The use of the TONIC for a time removes the cause of the cough, There have been a number of cases of *confirmed Consumption*, that had been given up to die, which have been cured by the use of DR. HARTER'S IRON TONIC.

MESSRS. FORD & PEARSON, *of Sterling, Neb.*, write Sept. 7th, 1878: "Send Medicines as early as possible. We are almost out of FEVER AND AGUE SPECIFIC. We sell three bottles of it to one of any other."

JAMES F. KENNEDY, *Woodstock, Ala.*, writes, April 12, 1873: "I had the every-day Chills for four weeks, and nothing would stop them. DR. HARTER'S FEVER AND AGUE SPECIFIC was recommended to me. I sent to Tuscoloosa, thirty miles distant, for it. I was cured immediately. Did not have another chill after taking it."

DR. RICHARD HOLLAND of *Butler Co., Mo.*, writes: "*Dr. Harter*—I have been a practicing physician for over twenty years, and I must say I never used anything in my practice equal to DR. HARTER'S FEVER AND AGUE SPECIFIC. I fully endorse it, and say to the public, that as a 'specific' for Fever and Ague it has no equal."

In the severer forms of Colic, attended with an accumulation of wind in the stomach and bowels, DR. HARTER'S LINIMENT will promptly relieve the flatulence by its powerful carminative influence, and will speedily subdue cramps and spasms.

MR. JOHN C. RICHARD, of *Stark, Bradford Co., Fla.*, writing Aug. 10th, 1878, says: Dr. Harter's Medicines take well, and are recommended by all that use them. The AGUE SPECIFIC never fails to cure Chills and Fever.

In all cases of enlarged Spleen, we would advise the use of DR. HARTER'S AGUE SPECIFIC and IRON TONIC. We have testimonials from many persons who have been cured by these famous remedies.

MESSRS. BENTLY & MILLER, of *Newark, Ohio*, writing Jan. 13th, 1878, say: "We are selling considerable quantities of DR. HARTER'S FAMILY MEDICINES. We have been guaranteeing your AGUE SPECIFIC for the last two years, and we have never but once had occasion to refund the money, and in that case, if it had been taken as directed, it would have been successful. With all other ague medicines on our shelves, and so extensively advertised as some of them have been, we have sold more of your AGUE SPECIFIC than any other ague remedy. We regard it as the best ague medicine in the market."

TO DYE BROWN.—For 10 pounds of goods, 1 pound of japonica, ¼ pound alum, ½ pound bichromate potash. Make a dye of japonica and alum, soak the goods five hours, dry them; then make a dye of the potash, soak until dark enough. Rinse in warm water.

TO DYE BLACK—ON WOOL, SILK OR COTTON.—To each pound of cloth 1 oz. extract of logwood and ½ oz. of blue vitriol. Put your cloth in an iron kettle, with enough soft water to prevent the cloth from being crowded; bring the water to a scalding heat, then take it out and let it drain; add the blue vitriol, and when dissolved skim and put in the cloth again and let it remain half an hour at scalding heat, then take out and rinse in soft water. Empty the vitriol water into another vessel and dissolve the extract of logwood in sufficient quantity of water, scald, skim, and put in the cloth still keeping the dye hot; let it remain half an hour, airing it frequently; then take it out and drain it; add the vitriol water to the dye, put it in again, occasionally airing it as before; cleanse it thoroughly in soft water and dry.

TO DYE BLUE.—For three pounds of goods, dissolve 1 oz. copperas in 4 gallons rain water; wet the goods in warm suds, then put into copperas water and let it remain ten minutes. Dissolve in another vessel 2 oz. prussiate potash in 4 gallons rain water. Now wring your goods and put them into the solution and let them remain five minutes; then wring out again, and now add 1 oz. oil vitriol to the potash water, stir well, then put the goods in again and bring to a boil, letting the goods remain in until the desired shade is obtained.

TO DYE YELLOW OR ORRANGE.—For 3 pounds of goods, dissolve 7 oz. sugar of lead in as much hot rain water as will cover the goods; then dissolve 4 oz. bichromate potash in as much cold rain water as will cover the goods; first dip the goods in the hot lead-water, wring out; then dip into the cold potash-water, wring out again and dip into clear hot rain water. Repeat if the color is not sufficiently deep.

For orange, after taking the goods from the potash water, pass them through clean, hot lime water, wring and dip in clear hot rain water.

DR. HARTER'S LINIMENT

PURELY VEGETABLE AND ALL-HEALING, FOR INTERNAL AND EXTERNAL USE.

Owing to its peculiar composition, it is admirably adapted to the relief of a wide range of diseases, and can be used with the utmost safety in all cases where a pain-relieving application is needed. Taken internally, it cures *Acid Stomach, Heartburn, Cramp and Pain in the Stomach, Colic, Diarrhœa, Dysentery, Cholera Morbus and Cholera.* Applied externally, it cures *Scalds, Burns, Frost-Bites, Sprains, Bruises, Whitlows, Felons, Boils, Rheumatic Affections, Headache and Neuralgia in the Face, Toothache, Pain in the Side, Pain in the Back and Loins, Neuralgia or Rheumatic Pains in the Joints or Limbs, Stings of Insects, Centipedes, Bites of Poisonous Insects and Venomous Reptiles.*

Relief from Dr. Harter's Liniment is Almost Instantaneous

GREEN BAY, VA., March 16, 1875.—*Dr. Harter:* I was taken with a severe pain in my leg, and in a few moments was so that I could not stand. I sent to your agent and obtained a half-bottle of your LINIMENT, and rubbed my leg with it, and in one hour was able to walk about. Relief was almost instantaneous. I never saw anything have such a happy effect so speedily.

R. C. WHITE.

A Case of True Croup Prevented by the use of Dr. Harter's Liniment.

MESSRS. T. H. MCGHEE & BRO., *Jack's Creek, Tenn.*, writing under date January 23, 1874, say: "We are glad to say to you that your valuable medicines are doing great good in this vicinity. We have good reasons for saying that your LINIMENT assisted in the cure of one case of *True Croup* by preventing the re-formation of the False Membrane."

MR. SAMUEL HENRY, of *Minneola, Little River Co., Ark.*, writing under date of October 1st, 1877, says: "I have thoroughly tried DR. HARTER'S LINIMENT for the *Screw Fly*, and find it the best article for exterminating this terrible pest of anything I have ever used. It is far superior to Calomel. I find that one application is all that is necessary."

MESSRS. CUMBIE & WILKS, *Berryreth, Ala.*, write June 26th, 1878: "DR. HARTER'S LINIMENT has cured a number of cases of Flux in this neighborhood."

LUMBERTON, N. C., June 12th, 1878.—*Dr. Harter:* Some time during the spring of 1876 I was taken with a pain in my back and left shoulder; was unable to stand. I procured a bottle of DR. HARTER'S LINIMENT; before using half of a bottle was entirely cured. It affords me much pleasure to recommend an article of such rare merit as your LINIMENT.

Yours with gratitude,
S. D. STAPLETON.

Dr. Harter's Liniment Cures Diphtheria.

Dr. Harter: Your LINIMENT is highly recommended in this place for *Diphtheria.* It cured every case in which it was used. Has not failed in a single instance

R. A. ESTES,
Richmond, Miss.

LAVORNSVILLE, Winston Co., Miss., April 26, 1878.—*The Dr. Harter Med. Co., St. Louis. Gentlemen:* I have been recently an eye-witness to the wonderful effects of DR. HARTER'S LINIMENT in the treatment of colic in horses. Blood-letting, soda-water, chloroform, &c., had been resorted to without any apparent relief, when half of a 25-cent vial of DR. HARTER'S LINIMENT was given in one quart of water, which gave relief in twenty-five minutes, all the most violent symptoms subsiding immediately. Hereafter I shall use and advise DR. HARTER'S LINIMENT for colic in horses. Yours truly,

C. T. KIRK, M. D.

J. F. MONTGOMERY, of *Lincoln, Tenn.*, writing under date of June 3d, 1876, says: DR. HARTER'S LINIMENT is the best in the world—has cured two of the worst cases of Neuralgia I ever saw.

MR. E. B. KETHERSIDE, of *Rising Fawn, Ga.*, writes, June 21st, 1877: "I wish to thank you for the great benefit I have derived from DR. HARTER'S FEVER AND AGUE SPECIFIC. It cured me when other medicines had failed. I have no hesitancy in recommending this incomparable medicine to my friends."

NOTHING IS IMPOSSIBLE

THOSE who suffer from Nervous or Bodily Exhaustion, from severe labor, loss of sleep and other causes, will find in DR. HARTER'S IRON TONIC a healthful refreshment and delightful invigorative, and they will have reason to bless the day that they used this famous, vitaliztng tonic.

MESSRS. HAYDEN & FERGUARDEN, *of Colfax, Ind.*, writing June 3d, 1878, say: We have been selling your VERMIFUGE CANDY for several years, and it has given good satisfaction; several of my customers have been giving it to their children for Ague, and it has cured every time. We have recommended and sold it for Ague in children, and it has never failed to cure.

MR. HILL KING, *of Grand View, Texas*, writes, Feb. 15th, 1878: "I have had the Chills for six months, and in that time have tried many remedies, but none did me any good till I commenced the use of DR. HARTER'S FEVER AND AGUE SPECIFIC, which has *entirely cured* me."

HOLLY SPRINGS, MISS., May 6, 1869.—*Dr. Harter:* About a year ago, after having tried quinine, Hurley's and Smith's Tonics, in an obstinate case of *Chills* in my family, a bottle of DR. HARTER'S FEVER AND AGUE SPECIFIC came casually into my hands, through Mr. Athey, druggist of this place, which proved entirely successful. By my personal recommendation, scores of my friends have since tested its curative properties, and, so far as reported, with scarcely a single failure. I regard it as the *cheapest and best Chill medicine* with which I am acquainted, and is attended with no unpleasant effects.

HENRY H. PAYNE, Pastor Pres'n Ch.

CHAMBERSVILLE, ARK, April 10th, 1876.—*Dr. Harter:* Your AGUE SPECIFIC is acknowledged by all to be the best in the known world. Never fails to break the Chills. I sell every bottle under a full guarantee, and if it fails to cure I agree to pay five dollars for every failure. No one has demanded the money. E. A. ACRUMAN.

DR. HARTER'S LIVER PILLS purify the blood, remove impure, undigested accumulations from the stomach and bowels, cleanse the liver and spleen, and generally purify the whole system.

MESSRS. HASSEL & BRYAN, *Elkhart, Texas*, writing under date of November 9, 1874, say: "We will purchase no other medicine as long as we can get yours. The senior partner, Dr. Hassel, has been practicing medicine for over twenty years, and he can safely say that he has found no medicines that give such general satisfaction as yours do."

O. BROUNKEE & CO., *Zanesville, O.*, writing July 23d, 1878, say: "DR. HARTER'S AGUE PILLS are the only sure cure to be had. We warrant them every time."

MESSRS. FORD & ANDERSON *Star City, Ark.*, writing January 15, 1877, say: "DR. HARTER'S LIVER PILLS are the most popular of any pill sold in this market."

SANTA FE, ILL., Dec. 17th, 1873.—*Dr. Harter:* My daughter was attacked with a severe pain, while she was making the bed, which caused her to faint. After recovering from the fainting spell she was placed in bed. She suffered so with the pain in the small of her back, that we were compelled to assist her to turn over, when it was necessary to give nourishment. Applied DR. HARTER'S LINIMENT to the part affected, and in the course of a few hours all pain had disappeared. In about a week from this, my son sprained his ankle. He applied DR. HARTER'S LINIMENT to the swollen ankle three or four times, thoroughly, the same evening. By morning it was entirely easy, and in a short time it was cured. He had before sprained his ankle, in your city, and applied this remedy, with the same result. On the 14th of this month, I had a very severe pain in my back, so that I could not sit erect; it hurt me to move. I resorted to DR. HARTER'S LINIMENT, and in a few hours after I had appplied it I was entirely free from pain.

JACOB HAENER.

S. L. GRAHAM & SON, *Pinewood, Tenn.*, write Oct. 15, 1878: "The package of ASTHMA REMEDY you sent me in July, was for a patient who had not slept or lain down for some days—was suffering severely. He was relieved by your REMEDY in half a minute. He had tried many medicines, and all of our best physicians, but he was unable to get any relief until he used your ASTHMA REMEDY."

DR. HARTER'S

SOOTHING DROPS

Are a perfectly safe and reliable remedy. They relieve the child from pain, and afford it rest. They soften the gums, reduce the inflammation, cure wind colic, and carry the infant safely over the teething period.

No mother who has ever tried them will consent to let her child pass through the critical period of teething without the aid of this valuable remedy. Thousands of mothers have used them, and all say that they have no equal. They give health and rest to the child, and comfort to the mother.

Dr. Harter's Soothing Drops Act Like a Charm.

PAULDING, MISS., Jan. 9, 1873.—*Dr. Harter:* My little son was afflicted with *Chronic Diarrhœa* for a considerable length of time. I tried various remedies, which only gave temporary relief. I finally purchased a bottle of your SOOTHING DROPS, which acted like a charm. I take pleasure in recommending them.

REV. S. W. JONES.

WEST MILTON, O.—*Dr. Harter:* After using DR. HARTER'S SOOTHING DROPS in my practice, I am fully convinced that they are superior to any other remedy of a similar character.

W. H. H. MINTON, M. D.

Dr. Harter's Soothing Drops

Give greater satisfaction to the people, and are more prescribed by physicians, than any other soothing remedy ever introduced, because they are so pleasant to take and so sure to cure *Colic, Diarrhœa, Flux, Summer Complaints, Cramps, Spasms, Gripes, &c.* These SOOTHING DROPS may be given to the *crying, fretful, restless, teething, nervous* child with perfect confidence in their ability to quiet and soothe it without injury.

DR. HARTER defies the whole medical profession to produce anything equal to his soothing remedy for children, at the same time so pleasant to take by the young babe.

Dr. Harter's Soothing Drops give Universal Satisfaction.

DR. A. SLACK, *Cog Hill, Tenn.*, August 10, 1874. —*Dr. Harter:* I have been selling your SOOTHING DROPS. They give universal satisfaction, and are taking the place of all other Soothing Syrups.

For all diseases with which children are afflicted during the process of teething, DR. HARTER'S SOOTHING DROPS are a safe and sure remedy. Their value is incalculable. They do not contain a particle of morphine. They are the result of *thirty years' experience* in the treatment of women and children, in private and hospital practice. For 25 CENTS you can avoid any more restless and sleepless nights with your *fretful, colicky, nervous, and teething* babe.

ROBERT SAMUELS, *Piqua, Ohio*, writes: "We have used DR. HARTER'S SOOTHING DROPS in my family for years, and have never seen their equal. In almost every instance where the infant is suffering from pain and exhaustion, it will be relieved in five to fifteen minutes after the SOOTHING DROPS have been administered. In our family it has proved a blessing, gives the infant a sweet and refreshing sleep, and to the parents unbroken rest at night."

DR. HARTER'S SOOTHING DROPS relieve the [illegible]fering infant as if by magic, leaving no unple[illegible] consequences to fellow. These DROPS are [illegible]ant and agreeable to the taste; the youngest [illegible] will take them without difficulty.

THE CORRECTIVE POWERS of DR. HARTER'S ELIXIR OF WILD CHERRY will neutralize the deleterious principles in impure water, and by its Stimulative, Tonic and Laxative properties, the system is thoroughly rejuvenated and placed in a condition to resist all disease.

T. F. FLEMMING, of the firm of Flemming Bros., Druggists, *Augusta, Ga.*, says: "I write myself, as a member of the firm, as to your ELIXIR OF WILD CHERRY. It excels anything of the kind I ever saw. I use it regularly, and have derived much benefit from it. I prefer it to any other preparation, or any that we can make."

W. H. RECTOR, *of Cadiz, Ky.*, writing Aug. 21st, says: DR. HARTER'S FEVER AND AGUE SPECIFIC is in demand and is giving entire satisfaction in every case where directions are followed. I am curing Bilious Fever with the LIVER PILLS and AGUE SPECIFIC.

MR. R. C. BREESE *of Norton Union Hills, Ill.*, writing June 14th, 1878, says: I have been selling DR. HARTER'S FEVER AND AGUE SPECIFIC on a guarantee for three years, and have never had a bottle returned.

DR. M. H. PUCKET, *of Shady Grove, Hickman Co., Tenn.*, writes, Aug. 10th, 1878: I have used Dr. Harter's Medicines for ten years in my practice, and can recommend them to the public for all that is claimed for them.

DR. D. O. ELLIOTT, *Knightsville, Ind.*, Aug. 28, 1878, writes: "I find your Medicines very good in my practice as well as very salable in my store."

LOUISVILLE, ARK., May 6, 1876.—*Dr. Harter:* From all indications I think your Medicines will [illegible] take the place of all others sold in this re- [illegible] The IRON TONIC is prescribed by our [illegible]icians, and I am sure that *all* of your Medi- [illegible] are fully appreciated. They are spoken of [illegible]e highest terms by all who have used them, [illegible] I believe they will stand the test of time.

JAMES W. MOORE, M. D.

The only Tonic that has been used with uniform and entire success, as a means of recruiting and refreshing the system, after it has been shattered or broken down by hard work and close mental application, is DR. HARTER'S IRON TONIC.

PORT GIBSON, MISS., April 6, 1876. *Dr. Harter:* Please send me by first boat, 4 dozen DR. HARTER'S IRON TONIC. The demand for the IRON TONIC is on the increase, and I hear it spoken of favorably by all that have used it. One of my customers, an old man, who has been walking with a cane for a number of years, has, after using three bottles of the IRON TONIC, laid the cane aside. He says that since using the IRON TONIC, he can walk without the aid of it. He is now giving the IRON TONIC to a consumptive case with good results. The TONIC is all you claim for it; it has worked marvellous cures.

M. HASTINGS.

HILL KING, *of Grand View, Texas*, writes, Feb. 16th, 1878: I had Chills for six months and tried nearly every known remedy, but found no permanent cure until I used your AGUE SPECIFIC.

MESSRS. POSEY & WILCOX-EN, *Green Hill, Ala.*, write, Feb. 22, 1878: "DR. HARTER'S FEVER AND AGUE SPECIFIC cannot be excelled by any other Ague Medicine. It has made permanent cures of Fever and Ague of three years' standing, where other remedies had failed."

Valuable Recipes for Coloring.

TO DYE SCARLET.—Take soft water sufficient to cover the cloth you wish to color, bring it to a boiling heat in a brass kettle, then add 1½ oz. cream tartar for every pound of cloth. Boil a minute or two, then add 1 oz. powdered cochineal and 3 oz. muriate of tin; boil five minutes, wet the goods in warm water, then wring and put into the dye; boil the whole nearly an hour; take the cloth out and rinse thoroughly in clear cold water.

TO DYE GREEN.—For 5 pounds cloth, dissolve 9 oz. sugar of lead in 4 gallons rain water; dissolve in another vessel 6 oz. bichro potash in 4 gallons rain water. First dye your goods blue (if you wish a dark green you must first have a dark blue), dip the goods in the lead water, then in the potash water, then again in the lead water, wring out dry and rinse in cold water.

TO DYE MADDER RED.—To each pound of cloth soak half a pound of madder in a brass kettle over night with sufficient warm water to cover the cloth you wish to dye. Next morning put in 2 oz. madder compound for each pound madder; wet your cloth and wring in clean water, then put it into the dye. Place the kettle over the fire and bring it slowly to a scalding heat; keep at this heat half an hour if a light red is wanted, and longer if a dark one—the color depending on the time it remains in the dye.

3 0112 115794262

The following are some of the Wholesale Dealers who have DR. HARTER'S FAMILY MEDICINES

Richardson & Co., St. Louis.
Meyer Bros. & Co., "
A. A. Mellier, "
Collins Bros. "
Geo. K. Hopkins & Co., "
Jacob S. Merrell, "
W. H. Schieffelin & Co, N. Y. City.
Hall & Ruckel, "
McKesson & Robbins, "
Torrey, Templeton & Co., "
French, Richards & Co., Phila.
Johnston, Holloway & Co. "
John D. Park & Sons, Cincinnati.
R. Ready & Co., "
Re[illegible] Hale & Co., "
J. [illegible] Burdsal & Co., "
C. A. Nulsen & Co., "
W. S. Merrell & Co., "
Rauchfuss, Nagle & Co., "
Fuller & Fuller, Chicago.
Van Schaack, Stevenson & Co. "
Morrison, Plummer & Co., "
J. B. Wilder & Co., Louisville.
R. A. Robinson & Co., "
Edward Wilder & Co., "
Arthur Peter & Co., "
E. J. Hart & Co., New Orleans.
I. L. Lyons, "
G. R. Findlay & Co., "
G. W. Jones & Co., Memphis.
W. N. Wilkerson & Co., "
W. H. Brown & Bro., Baltimore.
Thompson, Schott & Co. Galv'ton Tex.

E. W. Taylor & Co., Jefferson, Tex.
Connor & Walker, Dallas, "
Williams & Dicks, Sherman, "
T. W. Powell, Fort Worth, "
L. N. Brunswig, " "
J. C. Heaton & Bro., Cuero, "
Hughes & Naulty, Little Rock, Ark.
McAlmont & Gibson " "
Lincoln & Welch, " "
W. A. Moore, Hot Springs, "
B. Baer, Fort Smith, "
I. C. DuBose & Co. Mobile, Ala.
M. T. Sprague, " "
Weedon & Dent, Eufaula, "
Hunt, Rankin & Lamar, Atlanta, Ga.
Daniels & Marsh, "
L. E. & H. E. Welch, Albany. "
Barrett & Land, Augusta, "
Hunt, Rankin & Lamar, Macon, "
Janes & McDonald, Rome, "
Lippman Bros., Savannah, "
Quigley & Co., Alton, Ill.
Barclay Bros., Cairo, "
Singer & Wheeler, Peoria, "
Colburn, Birks & Co., " "
Miller, Terdenge & Co, Quincy, "
Sommer, Lynds & Co., " "
Reed & Lewis, Meridian, Miss.
Blair & Osborn, Columbus, "
M. W. Hatch, " "
Browning & Sloan, Indianapolis, Ind.
A. Keifer, " "
Stewart & Barry, " "

Keller & Whi[illegible] [illegible]ansville,
Leich & Lem[illegible] "
Meyer Bros. & [illegible], Ft. Wayne, "
E. H. Bindley, Terre Haute, "
Gulick & Berry, "
D. A. Kerr & Co., Keokuk, I[illegible]
Geo. H. Schafer & Co. Ft. Madison
J. L. Taylor & Co., Ottumwa, "
C. P. Squires & Co., Burlington, "
Swift & Dodds, Detroit, Mi[illegible]
T. H. Hinchman & Sons, " "
Shepard & Hazeltine, G'd Rapids "
W. R. Penick, St. Joseph, Mo.
S. I. Smith & Co., " "
W. A. Hall, Springfield, Mo.
L. W. Hubbell & Co., " "
J. W. Wood & Co., Kansas City, "
Woodward, Faxon & Co., " "
Walding, Mackintosh & Co. Toledo, O.
West & Truax, " Ohio.
Strong & Cobb, Cleveland, "
Benton, Myers & Co. " "
Sanford, Chamberlain & Albers, Knoxville, Tenn.
H. E. Pendleton & Co., Nashville, "
Kickade, Handly & Co.. " "
Berry, Demoville & Co., " "
Wm. Litterer & Co. " "
Green & Flanner, Wilmington, N. C.
T. C. Smith, Charlotte, "
Dowie & Moise, Charleston, S. C.
Bodeker Bros., Richmond, Va.
Joseph Carr, Petersburg, "

PRESENTED BY.

Brunk & Mooberry,

WINDSOR, ILLINOIS.

PRESCRIPTIONS CAREFULLY COMPOUNDED AT ALL HOURS.



Powder Puffs, &c. TRUSSES.

A FULL LINE OF DR. HARTER'S FAMILY MEDICINES ALWAYS ON HAND.